

SPECIFICATION

- Part No. : **DBP.2450.X.A.30**
- Description : Dielectric Band Pass Filter for 2450MHz Bandwidth 100MHz
- Features : Center Frequency 2450MHz Supports ISM 2450MHz Low Insertion Loss High Ultimate Attenuation Dims: 7.2*6.3*3mm







1. Introduction

Taoglas are utilizing their deep understanding of the RF component design and manufacturing process to provide high-quality, small-form-factor, cost-effective and easy to implement RF filters. The Taoglas Filters Division will feature a range of off-the-shelf filters for a variety of applications, including filters for emerging license free bands used for IoT and for GPS L1/L2 and L1/L5 applications. We can also work with customers to develop bespoke filter solutions.

Taoglas dielectric filters are designed to be used in wireless transmitters or receivers. These filters are designed to protect the LNA from noisy out of band emissions originated from nearby transmitters that can overdrive, or even damage your LNA. Overdriving the LNA results in non-linear distortion which negatively impacts the sensitivity of your receiver.

By selecting the proper Taoglas filter you can eliminate unnecessary out of band noise while maintaining minimal in-band insertion loss. The filter is manufactured as a single ceramic block [monoblock] which provides high reliability, low insertion loss and high attenuation in a simple compact SMD package.

The DBP.2450.X.A.30 is a standard Taoglas product but can be customized for specific customer needs. For more information please contact your regional sales office.




2. Specification

ELECTRICAL				
Centre Frequency (Fo)	2450MHz			
3dB Bandwidth	100MHz			
Insertion Loss	2.0 dB max			
Return Loss	< -10 dB			
Attenuation	> 40.0 dB @ 0 ~ 2000MHz			
	> 30.0 dB @ 2000MHz ~ 2200MHz			
	> 25.0 dB @ 2700MHz ~ 2900MHz			
	> 15.0 dB @ 2900MHz ~ 5000MHz			
In/Out Impedance	50 Ω			
Power Dissipation	1.0 W min.			
MECHANICAL				
Dimension	7.2*6.3*3mm (L*W*H)			
Material	Ceramic			
Finish	Ag plated			
ENVIRONMENTAL				
Operating Temperature	-40°C to 85°C			
Storage Temperature	-40°C to 85°C			
Moisture Sensitivity Level (MSL)	3 (168 Hours)			




3. Characteristics Curve

3.1. Pass Band Return & Insertion Loss




3.2. Out-Of-Band Attenuation





4. Mechanical Drawings (Unit: mm)


4.1. Antenna Drawing






4.2. Recommended PCB Layout

4.2.1. Top Copper



4.2.2. Top Solder Paste



NOTE:


- 1. Ag Plated area
- 2. Solder Mask area
- Copper area
 Paste area
- 5. Copper Keepout Area

and the second second


- 6. Any vias in pads should be either filled or tented to prevent solder from wicking away from the pad during reflow.
- 7. The dimension tolerances should follow standard PCB manufacturing guidelines



4.2.3. Top Solder Mask



4.2.4. Composite Diagram



NOTE:


- 1. Ag Plated area
- 2. Solder Mask area
- Copper area
 Paste area
- 5. Copper Keepout Area

and the second

- 6. Any vias in pads should be either filled or tented to prevent solder from wicking away from the pad during reflow.
- 7. The dimension tolerances should follow standard PCB manufacturing guidelines



4.3. Evaluation Board




NOTE: 1.All material must be RoHS compliant.

	Name	Materia	Finish	QTY
1	Filter	Ceramic	Clear	1
2	PCB	Composite 1.0t	Black	1
3	SMA(F) ST	Brass	Au Plated	2




5. Recommended Reflow Soldering Profile

Phase	Profile Features	Maximum
Preheat	Temperature Min	150°C
	Temperature Max	180°C
	Duration	60-120 sec
Ramp-Up	Avg. Ramp up rate	3°C/sec (max)
Deflow	Temperature	220°C
Reflow	Duration	30-40 sec
Deals	Temperature	265°C
Peak	Duration	5 sec Max
Ramp Down	Avg. Ramp down rate	3°C/sec (max)






6. Packaging









Taoglas makes no warranties based on the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Taoglas reserves all rights to this document and the information contained herein.

Reproduction, use or disclosure to third parties without express permission is strictly prohibited.

Copyright © Taoglas Ltd.