HellermannTyton

Specification Sheet

Part Number: 133-00998



Separates and secures bundles avoiding abrasion.

Designed to handle both convoluted tubing and bundles not

Designed to handle both convoluted tubing and bundles not covered in convoluted tubing.

Available in a variety of sizes and colors to be easily identified.

Article Number 133-00998

Type HC3A

Color Black (BK)

Quantity Per bag

Product Description HC Clamps separate multiple bundles and secure them to brackets or

frame rails. Each mount has two pawls for easy pre-installation on a threaded fastener prior to securing with a mechanical fastener. HC Clamps have ribs that make them ideal for convoluted tubing, but they can also be used to separate separate bundles that aren't protected

with convoluted tubing.

Short Description HC Clamp Bundle Separator, Three Hole, PA66GFHIRHS, Black,

500/pkg

Length L (Imperial)	4.246
Length L (Metric)	107.86
Variant	Separators
Width W (Imperial)	1.1
Width W (Metric)	27.94
Bundle Diameter Min (Imperial)	0.96
Bundle Diameter Min (Metric)	24.39
Bundle Diameter Max (Imperial)	0.9
Bundle Diameter Max (Metric)	24.3
Bundle Diameter 1st Loop Max (Imperial)	0.96
Bundle Diameter 1st Loop Max (Metric)	24.39
Bundle Diameter 2nd Loop Max (Imperial)	0.96
Bundle Diameter 2nd Loop Max (Metric)	24.39
Height H (Imperial)	1.38
Height H (Metric)	34.94

Mounting Hole Diameter D (Imperial)	0.32
Mounting Hole Diameter D (Metric)	8.12 mm
Mounting Hole Diameter D Max (Metric)	8.12
Material	Polyamide 6.6, high impact modified, glass-fiber reinforced (PA66HIRGF13)
Material Shortcut	PA66HIRGF13
UV Resistant (Yes/No)	No
Operating Temperature	-40°F to +257°F (-40°C to +125°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	500

About HellermannTyton

Package Quantity (Metric)

Customs Number

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar,

500

3926909988

electrical, construction, industrial auto to product design, sustainability, productstomers. HellermannTyton operates (www.hellermann.tyton.com).	uction, quality a	assurance and delivery is opti	mized to benef	it local and global
© 2023 HellermannTyton. All Rights	Reserved. Contact Us	RoHS/WEEE Compliance	Disclaimer	Terms and Conditions