


# Data sheet

## 1465.0 PZU 16



Crimping tool for crimping wire-end ferrules with and without plastic collars. Cross-section range: 10-16 mm<sup>2</sup> (AWG 7-6) Easy to use, Auto-lock for proper and complete crimping, Wire can be fed in from the side, Self-opening with built-in spring.

### Business data

Article number	1465.0
Article name	PZU 16
GTIN (EAN)	4044211045111
Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	607 g
Weight per piece (including packaging)	686 g
Unit of weight	G
Customs number	82032000
Country of origin	DE
Product description	Crimping tool

**Technical data**

**Dimensions**

Length	250 mm
--------	--------

**Application**

Crimp shape	Trapezoidal crimp
Crimping range, min.	10 mm <sup>2</sup>
Crimping range, max.	16 mm <sup>2</sup>
Crimping range AWG, min.	7
Crimping range AWG, max.	6
Wire-end ferrule cross-section, min.	10 mm <sup>2</sup>
Max wire-end ferrule cross-section	16 mm <sup>2</sup>

**Environmental Product Compliance**

REACH Conform	yes
REACH Reference date	2023-06-14
REACH Candidate Substance Note	No
RoHS Conform	yes

---

**Media**

---

---

**Accessories**

---