

## Specification Sheet

Part Number: 151-01020



KR/CTM series are designed to provide stability to wire bundles. These mounts can accommodate miniature, intermediate, or standard cross-section cable ties.

Each mount is secured with a single screw.

Metal Cnt Cable Tie Anchor Mnt, 0.98"x.57", 0.2" Hole Dia, 0.33" Max Tie Width, PA66MP+, Blue, 100/pkg

Article Number 151-01020

Type MCKR8G5-5

Color Blue (BU)

Quantity Per bag

Product Description Designed specifically for holding heavier cable bundles these mounting bases can be used in many industries from agriculture to truck manufacture. They offer a very secure fixing and can be used with a wide variety of heavy duty cable ties up to 8.3 mm width.

Short Description Metal Cnt Cable Tie Anchor Mnt, 0.98"x.57", 0.2" Hole Dia, 0.33" Max Tie Width, PA66MP+, Blue, 100/pkg

Global Part Name MCKR8G5-5-PA66MP+-BU

Length L (Imperial)	0.98
Length L (Metric)	25.0
Fixation Method	Screw Mounting and Rivet
Width W (Imperial)	0.57
Width W (Metric)	14.5
Cable Ties	MCT18 - MCT120
Height H (Imperial)	0.47
Height H (Metric)	12.0
Cable Tie Width Max (Imperial)	0.33
Cable Tie Width Max (Metric)	8.3
Mounting Hole Diameter D (Imperial)	0.20
Mounting Hole Diameter D (Metric)	5.1 mm
Mounting Hole Diameter D Min (Imperial)	0.20
Mounting Hole Diameter D Max (Imperial)	0.20
Mounting Hole Diameter D Max (Metric)	5.1

Material	Polyamide 6.6, with metal particles (PA66MP+)
Material Shortcut	PA66MP+
Halogen Free	Yes
UV Resistant (Yes/No)	No
Operating Temperature	-40°F to +185°F (-40°C to +85°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	100
Package Quantity (Metric)	100
Customs Number	3926909988

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)