

Specification Sheet

Part Number: 151-01207



Design provides quick and easy assembly
Isolator mount dampens harmful vibrations on bundles

Material is durable, chemical and abrasion resistant, and remains flexible
in low temperatures

Rectangle Edge Clip, 0.04–0.12" Panel Thickness, PA66HIRHSUV, Black, 500/pkg

Article Number 151-01207

Type RCEC

Color Black (BK)

Quantity Per carton

Product Description HellermannTyton's edge clip and tape clip assembly is ideal for routing bundles by securing them to the edge of a plastic or metal sheet without the need for a mounting hole. The clip is easy to secure, and the extraction force is high due to the integrated metal clamp that holds the edge clip in place. These edge clips include a tape bar, which can be secured to cables with cable ties or tape.

Short Description Rectangle Edge Clip, 0.04–0.12" Panel Thickness, PA66HIRHSUV, Black, 500/pkg

| | |
|--------------------------------|--|
| Global Part Name | RCEC-PA66HIRHSUV-BK |
| Length L (Imperial) | 2.84 |
| Length L (Metric) | 72.2 |
| Width W (Imperial) | 0.79 |
| Width W (Metric) | 20.0 |
| Height H (Imperial) | 1.69 |
| Height H (Metric) | 43.0 |
| Panel Thickness Min (Imperial) | 0.04 |
| Panel Thickness Max (Imperial) | 0.12 |
| Panel Thickness Min (Metric) | 1.0 |
| Panel Thickness Max (Metric) | 3.0 |
| Material | Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV) |
| Material Shortcut | PA66HIRHSUV |
| Flammability | UL 94 HB |

| | |
|------------------------------|-----------------------------------|
| UV Resistant (Yes/No) | Yes |
| Operating Temperature | -40°F to +221°F (-40°C to +105°C) |
| Reach Compliant (Article 33) | No |
| ROHS Compliant | Yes |
| Package Quantity (Imperial) | 500 |
| Package Quantity (Metric) | 500 |
| Customs Number | 3926909988 |

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)