


Specification Sheet

Part Number: 161-46100



Industry standard blue color assists with visual detection and reduces the risk of contamination.

High stainless-steel content is both detectable and corrosion resistant.

Open design accommodates breakouts at any point along the bundle.

Spiral design makes it suitable for retro-fitting.

Spiralwrap Metal-Content, 0.16" Diameter, PE/SS, Blue, 98 ft/roll

Article Number 161-46100

Type SBPEMC4

Color Blue (BU)

Quantity Per carton

Product Description SBPEMC provides flexible, durable cable and hose protection. It is ideal for food-processing machines and related environments. Protects against abrasion, making it appropriate for applications where movement is an issue.

Short Description Spiralwrap Metal-Content, 0.16" Diameter, PE/SS, Blue, 98 ft/roll

Global Part Name SBPEMC4-PE/SS-BU

| | |
|--------------------------------|--|
| Variant | Spiral Binding |
| Bundle Diameter Min (Imperial) | 0.20 |
| Bundle Diameter Min (Metric) | 5 |
| Bundle Diameter Max (Imperial) | 0.79 |
| Bundle Diameter Max (Metric) | 20 |
| Diameter D (Imperial) | 0.16 |
| Diameter D (Metric) | 4 |
| Nominal Diameter (Imperial) | 0.19 |
| Nominal Diameter (Metric) | 4 |
| Wall Thickness WT (Imperial) | 0.039 |
| Wall Thickness WT (Metric) | 1.0 |
| Material | Stainless Steel (SS) Polyethylene (PE) |
| Material Shortcut | SS PE |
| Flammability | UL 94 HB |
| Halogen Free | Yes |

| | |
|------------------------------|----------------------------------|
| UV Resistant (Yes/No) | No |
| Operating Temperature | -76°F to +176°F (-60°C to +80°C) |
| Reach Compliant (Article 33) | Yes |
| ROHS Compliant | Yes |
| Package Quantity (Imperial) | 98.43 |
| Package Quantity (Metric) | 30 |
| Customs Number | 3926909988 |

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)