

## Specification Sheet

Part Number: 166-90019



Ensures fast and secure assembly with non-metallic NPT fittings.

HelaGuard Non-Metallic Locknut, NPT Thread, 0.50" Dia, PA66, Black, 10/pkg

|                     |   |
|---------------------|---|
| Article Number      | 166-90019   |
| Type                | ALPA0500  |
| Color               | Black (BK)  |
| Quantity Per        | bag   |
| Product Description | Made of strong and chemical resistant PA66 material, locknut secures non-metallic NPT fittings when used with non-threaded entries. |
| Short Description   | HelaGuard Non-Metallic Locknut, NPT Thread, 0.50" Dia, PA66, Black, 10/pkg  |
| Global Part Name    | ALPA0500-PA66-BK  |

|                              |                                   |
|------------------------------|-----------------------------------|
| Variant                      | Locknut                           |
| Thickness T (Imperial)       | 0.265                             |
| Thickness T (Metric)         | 6.7                               |
| Nominal Diameter (Imperial)  | 0.5                               |
| Nominal Diameter (Metric)    | 21                                |
| Material                     | Polyamide 6.6 (PA66)              |
| Material Shortcut            | PA66                              |
| Halogen Free                 | Yes                               |
| UV Resistant (Yes/No)        | No                                |
| Operating Temperature        | -58°F to +275°F (-50°C to +135°C) |
| Reach Compliant (Article 33) | No                                |
| ROHS Compliant               | Yes                               |
| Package Quantity (Imperial)  | 10                                |
| Package Quantity (Metric)    | 10                                |
| Customs Number               | 3926909988                        |

## About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)