

Specification Sheet

Part Number: 166-90239



Flexible rubber material easily slips over end of conduit to seal out dust and debris.

Diameter markings make it easy to cut down to appropriate size.

Contains a cable tie slot for extra retention when required.

HelaGuard REC Conduit End Cap, 1.25" Dia, Flexible Rubber, Black, 10/pkg

Article Number 166-90239

Type REC1250

Color Black (BK)

Quantity Per pack

Product Description Rubber cap easily slides over un-terminated conduit and tubing ends to protect inside wire and cable bundles from debris. For use with HelaGuard conduits and tubing.

Short Description HelaGuard REC Conduit End Cap, 1.25" Dia, Flexible Rubber, Black, 10/pkg

Global Part Name REC1250-TPE-BK

| | |
|--------------------------------|-----------------------------------|
| Length L (Imperial) | 1.85 |
| Length L (Metric) | 47 |
| Variant | Endcap |
| Outside Diameter OD (Imperial) | 2.02 |
| Outside Diameter OD (Metric) | 51.3 |
| Nominal Diameter (Imperial) | 1.25 |
| Nominal Diameter (Metric) | 42 |
| Material | Thermoplastic Elastomer (TPE) |
| Material Shortcut | TPE |
| Flammability | UL 94 V-2 |
| Halogen Free | Yes |
| UV Resistant (Yes/No) | No |
| Operating Temperature | -58°F to +248°F (-50°C to +120°C) |
| Reach Compliant (Article 33) | No |
| ROHS Compliant | Yes |

| | |
|-----------------------------|------------|
| Package Quantity (Imperial) | 10 |
| Package Quantity (Metric) | 10 |
| Customs Number | 3926909988 |

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)