






推奨基板レイアウト
RECOMMENDED PCB LAYOUT



参考 : 基板厚 1.0mm
REFERENCE : PCB THICKNESS 1.0mm
メタルマスク厚 0.12mm
STENCIL THICKNESS 0.12mm
マスク開口率100%
APERTURE RATIO 100%.




SECTION Z-Z


- : 半田エリア (パターンエリア)
SOLDER AREA (COPPER ZONE)
- : 半田禁止エリア (パターン禁止エリア)
SOLDER KEEP OUT AREA (NO-COPPER ZONE)
半田上がりを防ぐため。
TO PREVENT SOLDER LIFTING.
レジストによって分離する場合は、パターン面よりも盛り上がらないこと。
IF APPLY RESIST IN THIS AREA, LEVEL AS PATTERN AREA FACE.

△5 嵌合図
MATED CONNECTORS


嵌合相手 :
MATE WITH:
レセプタクルハウジング
RECEPTACLE HOUSING
87439

ヘッダー
HEADER
202705




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex								
mm		8:1													
GENERAL TOLERANCES (UNLESS SPECIFIED)				PICO-SPOX 1.5 W/B SINGLE ROW VERTICAL SMT PLUG ASSEMBLY GOLD PLATING											
ANGULAR TOL ± 3.0 °															
4 PLACES		± 0.2								PRODUCT CUSTOMER DRAWING					
3 PLACES		± 0.2													
2 PLACES		± 0.2													
1 PLACE		± 0.2		EC NO: 712179 DRWN: TENAGASE 2022/06/28 CHK'D: SAKIYAMA 2022/06/28 APPR: AIDA 2022/06/28			DOCUMENT NUMBER 2027050241			DOC TYPE PSD	DOC PART 000	REVISION D			
0 PLACES		± 0.2													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
						A3-SIZE	202705	SEE SHEET 4		GENERAL		2 OF 4			

リール 詳細
REEL DETAILS




エンボス梱包 詳細 (キャップ付き)
EMBOSSED CARRIER TAPE PACKING DETAILS (WITH CAP)




注記
NOTE

7. リーダー部および末端部テープ長さ
LEADER AND TRAILER TAPE LENGTH



8. トップテープの剥離強度：IEC60286-3に準拠。
PEELING OFF FORCE OF THE TOP TAPE: DEFINED IEC60286-3.
(剥離方向は下図を参照)
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIGURE)



9. EIA-481に準拠する。
PACKAGING STANDARD IS AS PER EIA-481.
10. 梱包数量=900個/リール
TAPE & REEL QUANTITY=900PCS/REEL
11. 本製品は乾燥剤入りハイバリア梱包での納品となる。
THIS PRODUCT IS DELIVERED IN A HIGH BARRIER PACKAGE WITH DESICCANT.
12. 梱包仕様書：2027059200 PS 200
PACKING INFORMATION：2027059200 PS 200

44.4	50.4	2±0.15	20.2±0.15	44	15
32.4	38.4	2±0.1	14.2±0.1	32	14
24.4	30.4		11.5±0.1	24	13
16.4	22.4		7.5±0.1	16	12
J	H MAX		F	E	11
					10
					9
					8
					7
					6
					5
					4
					3
					2
					極数 CIRCUIT SIZE

番号 NO.	部品 PART	材質 MATERIAL	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION
④	エンボステープ EMBOSSED TAPE	ポリスチレン POLYSTYRENE (PS)	DIMENSION UNITS mm
⑤	トップテープ TOP TAPE	ポリエチレン POLYETHYLENE (PE)	SCALE 1:1
⑥	リール REEL	ポリスチレン POLYSTYRENE (PS)	GENERAL TOLERANCES (UNLESS SPECIFIED)
			ANGULAR TOL ± 3.0°
			4 PLACES ± 0.2
			3 PLACES ± 0.2
			2 PLACES ± 0.2
			1 PLACE ± 0.2
			0 PLACES ± 0.2
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS
			THIRD ANGLE PROJECTION
			DRAWING A3-SIZE
			SERIES 202705
			EC NO: 712179 DRWN: TENAGASE CHK'D: SAKIYAMA APPR: AIDA
			2022/06/28 2022/06/28 2022/06/28
			INITIAL REVISION: DRWN: RTANAKA02 APPR: TKANEKO
			2016/08/08 2017/03/23
			DOCUMENT NUMBER 2027050241
			DOC TYPE PSD
			DOC PART 000
			REVISION D
			MATERIAL NUMBER SEE SHEET 4
			CUSTOMER GENERAL
			SHEET NUMBER 3 OF 4

	10	9	8	7	6	5	4	3	2	1
F										F
E										E
D										D
C										C
B										B
A										A

2027051541	2027051543	15
2027051441	2027051443	14
2027051341	2027051343	13
2027051241	2027051243	12
2027051141	2027051143	11
2027051041	2027051043	10
2027050941	2027050943	9
2027050841	2027050843	8
2027050741	2027050743	7
2027050641	2027050643	6
2027050541	2027050543	5
2027050441	2027050443	4
2027050341	2027050343	3
2027050241	2027050243	2
ヘッダー番号 HEADER NO.	オーダー番号 ORDER NO.	極数 CIRCUIT SIZE

DOCUMENT STATUS	P1	RELEASE DATE	2022/06/28	06:06:20
-----------------	----	--------------	------------	----------

FORMAT: master-b-prod-A3
REVISION: J1
DATE: 2021/05/01

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex PICO-SPOX 1.5 W/B SINGLE ROW VERTICAL SMT PLUG ASSEMBLY GOLD PLATING							
mm		1:1													
GENERAL TOLERANCES (UNLESS SPECIFIED)															
ANGULAR TOL ± 3.0 °															
4 PLACES ± 0.2															
3 PLACES ± 0.2				EC NO: 712179 DRWN: TENAGASE 2022/06/28				PRODUCT CUSTOMER DRAWING							
2 PLACES ± 0.2				CHK'D: SAKIYAMA 2022/06/28											
1 PLACE ± 0.2				APPR: AIDA 2022/06/28											
0 PLACES ± 0.2				INITIAL REVISION: DRWN: RTANAKA02 2016/08/08 APPR: TKANEKO 2017/03/23				DOCUMENT NUMBER 2027050241		DOC TYPE PSD	DOC PART 000	REVISION D			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION 		DRAWING A3-SIZE		SERIES 202705		MATERIAL NUMBER SEE CHART		CUSTOMER GENERAL		SHEET NUMBER 4 OF 4	