





REV	LOG	DIST	ZONE	LTR	REVISIONS	DATE	APPD
1	BD	37		H	REDRAWN WITHOUT CHANGE	07/21/92	



RECOMMENDED PC BOARD LAYOUT



- 1 NYLON, RED.
- 2 BRASS PER ASTM B36.
- 3 3.81µm [0.000150] MIN TIN-LEAD OVER 2.54µm [0.000100] MIN COPPER OR 1.27µm [0.000050] MIN NICKEL.
- 4 0.76µm [0.000030] MIN GOLD FOR A LENGTH OF 5.08 [0.200] MIN FROM MATING END, 3.81µm [0.000150] MIN TIN-LEAD FOR A LENGTH OF 5.36 [0.211] MIN FROM OPPOSITE END, BOTH OVER 1.27µm [0.000050] MIN NICKEL.

THIS DRAWING IS A CONTROLLING DOCUMENT FOR THE MANUFACTURE OF THIS PRODUCT. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

DO NOT SCALE PRINT. UNLESS SPECIFIED DIMENSIONS IN MM [INCHES] TOLERANCES ON: 1. DIMENSIONS IN MM [INCHES] 2. PLC DEC ± 0.25 [0.010] 3. PLC DEC # - - ANGLES	DR 07/21/92 L. STINE	NAME <b>AMP</b> AMP Incorporated Harrisburg, PA 17105-2608
MATERIAL HOUSING: 1 CONTACTS: 2	APPD 7-24-92 A. TRAVIS	PIN HEADER ASSEMBLY, 6 POSN, IN-LINE, SMALL METRIC CONNECTOR, METRIMATE
FINISH CONTACTS: SEE TABLE	APPD 7-24-92 C. RICHDE	FINISH PART NO 207583-3 207583-1
APPLICATION SPEC	PRODUCT SPEC	SCALE 4:1
WEIGHT		CAGE CODE 00779
		DRAWING NO 207583
		SHEET 1 OF 1

CUSTOMER DRAWING