

Data sheet

28198.8 PVC-VRT-R 102X138 YE



Device and installation marker, Length: 138 mm, Width: 102 mm, Colour: Yellow

RAL: 1026

Business data

Article number	28198.8
Article name	PVC-VRT-R 102X138 YE
GTIN (EAN)	4044211214715
Packaging unit	25
Quantity unit	PC
Number of markers per card	1 ST
Weight per piece (not including packaging)	12 g
Weight per piece (including packaging)	13.2 g
Unit of weight	G
Customs number	39204910
Country of origin	IT
Prio-Article	28198.7
Product description	Device and installation marker

28198.8 PVC-VRT-R 102X138 YE

Technical data

Dimensions

Length	138 mm
--------	--------

Width	102 mm
-------	--------

Materials

Marker material	PVC
-----------------	-----

Flammability class UL 94	V-0
--------------------------	-----

Working temperature, min.	-30 °C
---------------------------	--------

Working temperature, max.	60 °C
---------------------------	-------

Processing temperature, min.	10 °C
------------------------------	-------

Processing temperature, max.	40 °C
------------------------------	-------

Silicone-free	✓
---------------	---

Further technical data

Mounting	Nicht selbstklebend
----------	---------------------

Software code	207
---------------	-----

Environmental Product Compliance

REACH Candidate Substance Note	No
--------------------------------	----

Media

Accessories

Printer



Thermal transfer printer TTPCard including a power cord, USB cable, dust cover, black thermal transfer film (28010.4), three inlays: CCI-PC-SB 5x5 (28020.0), CCI-PC-CPM-10/BSTR (28027.0), CCI-PC/PVC/PVCF (28041.0), CONTASign PRO software in 16 languages (German, English, French, Italian, Dutch, Spanish, Portuguese, Czech, Polish, Bulgarian, Romanian, Slovenian, Turkish, Chinese, Japanese, Russian) for Windows versions 7, 8, 10. (available for download)

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28000.0</u>	TTPCard Set	4044211207397	1 ST

Inlays

Printer inlay

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28041.0</u>	CCI-PC/PVC/PVCF	4044211208097	1 ST