

Data sheet

28346.7 PC-BSTR 5X10/48 WH



Terminal marker / PC Card, Length: 10 mm, Width: 5 mm, Colour: White

RAL: 9010

Business data

Article number	28346.7
Article name	PC-BSTR 5X10/48 WH
GTIN (EAN)	4044211216023
Packaging unit	960
Quantity unit	PC
Number of markers per card	48 ST
Weight per piece (not including packaging)	0.19 g
Weight per piece (including packaging)	0.23 g
Unit of weight	G
Customs number	39269097
Country of origin	DE
Product description	Terminal marker / PC Card
Colour	White

Technical data

Dimensions

Length	10 mm
--------	-------

Width	5 mm
-------	------

Materials

Marker material	Polycarbonate
-----------------	---------------

Flammability class UL 94	V-0
--------------------------	-----

Working temperature, min.	-40 °C
---------------------------	--------

Working temperature, max.	130 °C
---------------------------	--------

Halogen-free	✓
--------------	---

Silicone-free	✓
---------------	---

Further technical data

Mounting	Joined together
----------	-----------------

Software code	22 & 406
---------------	----------

Environmental Product Compliance

REACH Conform	yes
---------------	-----

REACH Reference date	2023-06-14
----------------------	------------

REACH Candidate Substance Note	No
--------------------------------	----

RoHS Conform	yes
--------------	-----

Media

Accessories

Printer



Thermal transfer printer TTPCard including a power cord, USB cable, dust cover, black thermal transfer film (28010.4), three inlays: CCI-PC-SB 5x5 (28020.0), CCI-PC-CPM-10/BSTR (28027.0), CCI-PC/PVC/PVCF (28041.0), CONTASign PRO software in 16 languages (German, English, French, Italian, Dutch, Spanish, Portuguese, Czech, Polish, Bulgarian, Romanian, Slovenian, Turkish, Chinese, Japanese, Russian) for Windows versions 7, 8, 10. (available for download)

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28000.0</u>	TTPCard Set	4044211207397	1 ST

Inlays

Printer inlay



Article number	Article name	GTIN (EAN)	Packaging unit
<u>28027.0</u>	CCI-PC-CPM-10/BSTR	4044211207953	1 ST