

2882.0 H 1,5/14 D-B Rolle BK (5.000 St.)



Wire-end ferrules, Max. wire cross-section: 1.5 on roll mm², Length: 14 mm, Length of copper pipe: 8 mm, Colour: Black

RAL: 9005

Business data

Article number	2882.0
Article name	H 1,5/14 D-B Rolle BK (5.000 St.)
GTIN (EAN)	4044211056070
Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	0.18 g
Weight per piece (including packaging)	0.2 g
Unit of weight	G
Customs number	85369010
Country of origin	DE
Product description	Wire-end ferrules on roll
Colour	Black

2882.0 H 1,5/14 D-B Rolle BK (5.000 St.)

Technical data

Dimensions

Length	14 mm
Length of copper pipe	8 mm
Diameter of copper pipe	1.7 mm
Diameter plastic collar	3.5 mm
Wall thickness of copper pipe	0.15 mm
Wall thickness of plastic collar	0.25 mm

Connection data

Wire cross-section, max.	1.5 mm ²
Wire cross-section AWG, max.	16
Stripping length	10 mm

Materials

Copper pipe	Copper alloy
Surface	Galvanically tin-plated, shiny
Plastic collar	Polypropylene homopolymer
Working temperature, min.	-5 °C
Working temperature, max.	105 °C

Further technical data

Insulation available	✓
----------------------	---

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2023-06-14
REACH Candidate Substance Note	No
RoHS Conform	yes

2882.0 H 1,5/14 D-B Rolle BK (5.000 St.)

Approvals

Standards and regulations

DIN 46228-4:1990	yes
------------------	-----

Media

Accessories

##INVERSE##CONTA-CONNECT



Screw-distributor block, Screw connection, Mounting type:Mounting rail TS 35/7.5 and mounting surface, Rated cross-section of input: 70 mm², Rated cross-section of output: 16 mm², Colour: Light grey

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1746.0</u>	SVB 160 LG	4044211143534	1 ST



Screw-distributor block, Screw connection, Mounting type:Mounting rail TS 35/7.5 and mounting surface, Rated cross-section of input: 70 mm², Rated cross-section of output: 16 mm², Colour: Light grey

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1745.0</u>	SVB 175/3 LG	4044211143527	1 ST