


Data sheet

2890.5 HP DLIS BU



Retaining plate, Width: 1.5 mm, Colour: Blue

RAL: Ähnlich 5005

Business data

| | |
|--|---------------|
| Article number | 2890.5 |
| Article name | HP DLIS BU |
| GTIN (EAN) | 4044211056155 |
| Packaging unit | 20 |
| Quantity unit | PC |
| Weight per piece (not including packaging) | 4.3 g |
| Weight per piece (including packaging) | 4.44 g |
| Unit of weight | G |
| Customs number | 85389099 |
| Country of origin | DE |
| Product description | Fixing plate |
| Colour | Blue |

Data sheet

2890.5 HP DLIS BU



Technical data

Dimensions

| | |
|--------|---------|
| Length | 93 mm |
| Width | 1.5 mm |
| Height | 52.5 mm |

Materials

| | |
|---------------------------|---------------|
| Material | Polyamide 6.6 |
| Flammability class UL 94 | V-2 |
| Working temperature, min. | -40 °C |
| Working temperature, max. | 105 °C |


Environmental Product Compliance

| | |
|--------------------------------|------------|
| REACH Conform | yes |
| REACH Reference date | 2023-06-14 |
| REACH Candidate Substance Note | No |
| RoHS Conform | yes |

Media


Accessories

##INVERSE##CONTA-CONNECT




Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 18 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------------|---------------|----------------|
| <u>2716.2</u> | DLIS 2,5 B-3L/N/PE BG | 4044211129903 | 25 ST |




Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 18 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>1446.2</u> | DLIS 2,5 B-W BG | 4044211044954 | 16 ST |




Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 12 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>1447.2</u> | DLIS 2,5 B-D BG | 4044211044961 | 25 ST |




Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 18 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------------|---------------|----------------|
| <u>2715.2</u> | DLIS 2,5 B-3L/3N/3PE BG | 4044211129897 | 16 ST |



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 18 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------------|---------------|----------------|
| <u>2718.2</u> | DLIS 2,5 B-6L/3PE BG | 4044211129927 | 16 ST |




Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 6 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------------|---------------|----------------|
| <u>1410.2</u> | DLIS 2,5 PE/L/NT BG | 4044211044558 | 50 ST |

Data sheet

2890.5 HP DLIS BU

##INVERSE##CONTA-CONNECT



Three-wire installation terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 18 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|----------------|
| <u>2717.2</u> | DLIS 2,5 B-6L BG | 4044211129910 | 16 ST |