

Electronic housing - UM 72-LG 10 - 2959366

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

Profile housing and board base, 10 mm wide module, consisting of two side elements



Key commercial data

Packing unit	1 PCE
Minimum order quantity	10 PCE
Weight per Piece (excluding packing)	13.94 GRM
Custom tariff number	39269097
Country of origin	Poland

Technical data

Product type	Component housing lower part
Approval	UL Recognized
Ambient temperature (operation)	-15 °C ... 50 °C
Color	green
Depth	89.6 mm
Width	8 mm
Functional earth ground contact	without

Classifications

eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506

Electronic housing - UM 72-LG 10 - 2959366

Classifications

eCl@ss

eCl@ss 6.0	27180802
eCl@ss 7.0	27182701
eCl@ss 8.0	27182701

ETIM

ETIM 2.0	EC001031
ETIM 3.0	EC001031
ETIM 4.0	EC001031
ETIM 5.0	EC000721

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

Approvals

Approvals


Approvals

UL Recognized

Ex Approvals

Approvals submitted

Approval details

UL Recognized 

Accessories

Accessories

Electronic housing - UM 72-LG 10 - 2959366

Accessories

Mounting material

Mounting flange - UMK-BF - 2976077



Mounting flange, for mounting directly on the wall

Drawings

Dimensioned drawing

