



Main

| | |
|-----------------------------|--|
| Range of Product | L525 |
| Series name | Severe duty |
| Product or Component Type | Limit switch lever |
| Device short name | L525 |
| Associated complete product | L525 |
| Movement of operating head | Rotary |
| Type of operator | Aluminium spring return roller pin lever 5.73 in (145.54 mm) belt conveyor monitoring cylindrical roller pin |
| Type of roller | 1 teflon lateral roller 1.25 in (31.75 mm) |
| Type of approach | Lateral approach |
| Positive opening | Without |

Complementary

| | |
|------------------|---------------------------|
| Switch actuation | By shifting conveyor belt |
| Net Weight | 0.1 lb(US) (0.05 kg) |

Environment

| | |
|---------------------------------------|----------------------------|
| Ambient air temperature for operation | -20...185 °F (-29...85 °C) |
| Ambient Air Temperature for Storage | -20...185 °F (-29...85 °C) |
| Environmental characteristic | Standard environment |

Ordering and shipping details

| | |
|-----------------------|--------------------------|
| Category | 21519-9007 MISCELLANEOUS |
| Discount Schedule | DS1 |
| GTIN | 785901773429 |
| Nbr. of units in pkg. | 1 |
| Package weight(Lbs) | 1.60 oz (45.359 g) |
| Returnability | No |
| Country of origin | MX |

Packing Units

| | |
|------------------------|---------------------|
| Unit Type of Package 1 | PCE |
| Package 1 Height | 5.30 in (13.462 cm) |
| Package 1 width | 7.00 in (17.78 cm) |
| Package 1 Length | 7.60 in (19.304 cm) |

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

Offer Sustainability

| | |
|---------------------------|---|
| California proposition 65 | WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |
| REACH Regulation | REACH Declaration |
| EU RoHS Directive | Not applicable, out of EU RoHS legal scope |
| Environmental Disclosure | Product Environmental Profile |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|