## **HellermannTyton**

## **Specification Sheet**

Part Number: 380-03001



The basic kit contains 220 pieces of black polyolefin heat shrink tubing in assorted diameter sizes and lengths.

The 3 to 1 shrink ratio covers a wide range of components, sizes and shapes.

Material is self-extinguishing, for use in applications in which non-flammable materials are required.

Heat Shrink Tubing, 3:1 Basic Kit, assorted Dia & lengths, PO Black, 220 pcs/pkg

Article Number 380-03001

Type ShrinKit 321 Basic

Color Black (BK)

Quantity Per kit

Product Description Heat shrink kits are a convenient solution for "on-the-job" projects. This

3 to 1 shrink ratio tubing features a flexible, thin wall to cover a wide range of components, sizes and shapes. The polyolefin material has a higher operating temperature range than general-use heat shrink tubing. The basic kit contains an assortment of black color tubing in

variety of diameter sizes and lengths.

Short Description Heat Shrink Tubing, 3:1 Basic Kit, assorted Dia & lengths, PO Black,

220 pcs/pkg

Global Part Name	ShrinKit 321 Basic-PO-X-BK
Contents of pkg/kit	This kit contains a selection of widely used black tubing in five sizes and different lengths.
Variant	Thin-Wall
Material	Polyolefin, cross-linked (PO-X)
Material Shortcut	PO-X
Halogen Free	No
UV Resistant (Yes/No)	No
Operating Temperature	-67°F to +275°F (-55°C to +135°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	1
Package Quantity (Metric)	1
Customs Number	3926909988

## About HellermannTyton HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions