



Wire Connector with control wire tap; for 2 cables; 3 pcs.; incl. Terminal Cover Extended with probe holes for voltage test; accessory for: 3VA5 250

| Model | |
|--|--|
| product brand name | SETRON |
| product designation | accessories |
| Accessories | Wire connector |
| General technical data | |
| designation / of the terminal | TA2.2 |
| Connections according IEC | |
| connectable conductor cross-section | |
| <ul style="list-style-type: none"> for copper cable / stranded / minimum for copper cable / stranded / maximum for aluminum cable / stranded / minimum for aluminum cable / stranded / maximum | 50 mm ² 240 mm ² 25 mm ² 240 mm ² |
| stripped length | 30,5 mm |
| tightening torque / when using copper cables | |
| <ul style="list-style-type: none"> stranded finely stranded | 31 Nm 31 Nm |
| Connections according UL | |
| permissible temperature / of connectable conductor / according to UL 486A-486B | 75 °C |
| stripped length | 1.2 in |
| connectable conductor cross-section | |
| <ul style="list-style-type: none"> for copper cable / stranded / minimum for copper cable / stranded / maximum for copper cable / finely stranded / minimum for copper cable / finely stranded / maximum for aluminum cable / stranded / minimum for aluminum cable / stranded / maximum | 2 AWG 350 kcmil 2 AWG 350 kcmil 2 AWG 350 kcmil |
| tightening torque / when using copper cables | |
| <ul style="list-style-type: none"> stranded finely stranded | 275 lb-in 275 lb-in |

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9233-0JC18>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9233-0JC18>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9233-0JC18

CAx-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

last modified:

12/20/2020 

