HellermannTyton

Specification Sheet

Part Number: TTHSTOUTSM

Clean Start ribbons prolong printhead life, while reducing maintenance costs.

Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.



Clean Start Thermal Transfer Ribbon, 4.33" x 298', 0.5" Core, PET, Black, 1/pkg

Article Number 556-00163

Type TTHSTOUTSM

Color Black (BK)

Quantity Per EA

Product Description HellermannTyton Clean Start thermal transfer ribbons incorporate an

innovative, patented printhead cleaner built right into the ribbon. Clean Start ribbon removes debris before it builds up on the printhead, extending printer life. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton

label stock to give the best chemical and abrasion resistance.

Short Description Clean Start Thermal Transfer Ribbon, 4.33" x 298', 0.5" Core, PET,

Black, 1/pkg

Global Part Name

TTHSTOUTSM-PET-BK

Length L (Imperial)

242.0

Length L (Metric)

74

Variant

Colored ribbon

Width W (Imperial)

4.33

Width W (Metric)

110.0

Material

Polyester Film (PET)

Material Shortcut

PET

Halogen Free

No

UV Resistant (Yes/No)

No

Operating Temperature

+40°F to +300°F (+4°C to +82°C)

Reach Compliant (Article 33)

Yes

ROHS Compliant

Yes

Customs Number	370244	-0160		
About HellermannTyton				
HellermannTyton is a global manufacturer of electrical, construction, industrial automation to product design, sustainability, production, customers. HellermannTyton operates in 39 (www.hellermann.tyton.com).	n, broadb quality a	and and other OEM mark ssurance and delivery is	ets. The company' optimized to benefi	s integrated approach t local and global
© 2023 HellermannTyton. All Rights Rese				
Cont	act Us	RoHS/WEEE Compliand	ce Disclaimer	Terms and Conditions

1

Package Quantity (Metric)