

Specification Sheet

Part Number: 558-00333



Continuous Colored Signal Panel labels come with yellow or orange stripes for easy printing of caution and warning labels.

Continuous labels allow for designing and cutting labels to any length.

Various widths are available so that a wide variety of sign sizes can be customized and produced on demand.

Adhesive Labels, Banded Color Continuous Roll, 4.0" x 250', PET, Orange/White, 250 ft/roll

Article Number 558-00333

Type HT4OE10250

Color Orange (OG)

Quantity Per roll

Product Description The Pre-Printed Colored Header Vinyl Rolls can be used to design

signs that conform to Occupational Safety and Hazard Association (OSHA) and American National Standards Insitute (ANSI) requirements for Warning and Caution Signs and markers. All can be designed, printed and cut to length in Tagprint Pro and any HellermannTyton

thermal transfer printing system.

Short Description Adhesive Labels, Banded Color Continuous Roll, 4.0" x 250', PET,

Orange/White, 250 ft/roll

| | _ | |
|--------|------|---------|
| Global | Dart | Nama |
| Giubai | гαн | INAILIE |

HT4OE10250-336/926-OG

Length L (Imperial)

250.0

Length L (Metric)

76.2

Variant

3.2mil, 50lb bleached kraft paper

Width W (Imperial)

4.0

Width W (Metric)

101.6

Thickness T (Metric)

64.0

Width of Liner (Metric)

101.6

Width of Liner (Imperial)

4.0

Material

Type 336/926, Polyester, UV-stabilised, clear polyester laminate

(336/926)

Material Shortcut

336/926

Adhesive

Acrylic

Halogen Free

No

UV Resistant (Yes/No)

Yes

Adhesive Operating Temperature -40°F to +302°F (-40°C to +150°C)

-40°F to +302°F (-40°C to +150°C) **Operating Temperature**

Reach Compliant (Article 33) Yes

ROHS Compliant Yes

UL 969 CSA Certification/Specification

UL Recognized (US) Yes

Package Quantity (Imperial) 250

Package Quantity (Metric) 76.20

Customs Number 3919102055

1 Labels per Column

Labels per Row 1

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).