

## Specification Sheet

Part Number: RO175WP



Compact to easily fit in pants or shirt pockets

Dispenser can be reloaded over and over, making it cost effective to use

Dispenser edge allows easy removal of label liner

Dispenser protects labels from dirt and moisture before use, extending the life and quality of the labels

Rite-On Self-Laminating Label Starter Kit, 0.75" x .75" x 3.0", VL, White, 90/roll

Article Number 590-10000

Type RO175WP

Color White (WH) Clear (CL)

Quantity Per EA

Product Description HellermannTyton's Rite-On Markers are made from a flexible vinyl film and used to mark wire and cable. The self-laminating labels have a clear tail which seals the legend under clear vinyl, maintaining the quality of the labels. The Rite-On markers are packaged in a reusable dispenser made from high impact plastic which is resistant to oils and grease.

Short Description Rite-On Self-Laminating Label Starter Kit, 0.75" x .75" x 3.0", VL, White, 90/roll

Global Part Name RO175WP-100B-CL/WH

Fixation Method Pasting / Stick

Variant Roller form

Width W (Imperial) 0.75

Width W (Metric) 19.05

Bundle Diameter Min (Imperial) 0.33

Bundle Diameter Min (Metric) 8.32

Bundle Diameter Max (Imperial) 0.33

Bundle Diameter Max (Metric) 8.38

Height H (Imperial) 0.75

Height H (Metric) 19.1

Outside Diameter Max (Imperial) 0.7

Outside Diameter Min (Metric) 8.38

Outside Diameter Min (Imperial) 0.33

Outside Diameter Max (Metric) 17.78

Material	Type 100B, Vinyl, white transparent, self-laminating (100B)
Material Shortcut	100B
Adhesive	Acrylic
Halogen Free	No
UV Resistant (Yes/No)	No
Adhesive Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Reach Compliant (Article 33)	No
ROHS Compliant	Yes
UL Recognized (US)	Yes
UL Recognized (US and Canada)	Yes
Package Quantity (Imperial)	90
Package Quantity (Metric)	90
Customs Number	3919102055

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)