HellermannTyton

Specification Sheet

Part Number: TAG59L-788



LaserTags are sheet fed for easy loading and fast printing. LaserTags are made with high temperature materials and adhesives so that they will not be affected by the high heat of laser printing.

LaserTags are printable using toner for long term UV exposure.

LaserTags come in a variety of label sizes and types to fit most applications.

Laser Tag Label, 1.5" x 4.0", 14 Per Sheet, PET, White, 3500/pkg

Article Number	594-59788
Туре	TAG59L
Color	White (WH)
Quantity Per	pack
Product Description	HellermannTyton white polyester labels are ideal for marking small electrical and electronic components, such as EPROMS', Integrated circuits, as well as the circuit board itself. Printed labels can withstand the soldering process and survive flux removal when the board is washed. HellermannTyton's 788 material is designed for use on flat surfaces and can also be used to identify connectors, buttons and just about anything requiring permanent, general purpose marking.
Short Description	Laser Tag Label, 1.5" x 4.0", 14 Per Sheet, PET, White, 3500/pkg

Global Part Name

Width W (Imperial)	4.0
Width W (Metric)	101.6
Thickness T (Metric)	64.0
Height H (Imperial)	1.5
Height H (Metric)	38.1

Material	Type 788, Polyester (788)		
Material Shortcut	788		
Adhesive	Acrylic		
Halogen Free	No		
UV Resistant (Yes/No)	No		
Adhesive Operating Temperature	-40°F to +199°F (-40°C to +93°C)		
Operating Temperature	-40°F to +199°F (-40°C to +93°C)		
Reach Compliant (Article 33)	Yes		
ROHS Compliant	Yes		

Package Quantity (Imperial)	3500
Package Quantity (Metric)	3500
Customs Number	3919905060
Labels per Column	7
Labels per Row	2

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

Contract Lla	DelleMA/EEE Compliance	Disclotionar	Tarma and Canditiana
Contact Us	RoHS/WEEE Compliance	Disclaimer	Terms and Conditions