

## **Specification Sheet**

Part Number: 596-00904



Made with UV-stable inks and materials for durability and weather resistance.

Polyester is resistant to chemicals and solvents and will remain legible in dirty environments.

High abrasion and scuff resistance for high-performance labeling.

Meets NEC & IFC standards for printed text, character height, color and outdoor UV stability to pass inspections.

Arc Flash Label, DANGER APPROPRIATE PPE REQUIRED, 5.0" x 3.75", PET, Red/White, 10/pkg

Article Number 596-00904

Type AF5X35D

Color Red (RD)

Quantity Per pack

Product Description	HellermannTyton makes it easier than ever for solar installers to meet
	PV labeling codes. Solar Label Convenience Packs allow installers to
	quickly and economically purchase high quality preprinted NEC
	code-compliant solar installation labels. Packaged in 10-count
	quantities to meet the needs of smaller scale solar installations and
	independent contractors, Solar Label Convenience Packs are available
	in HellermannTyton's most popular preprinted NFC code-compliant

w installers to ed NEC count llations and s are available in HellermannTyton's most popular preprinted NEC code-compliant solar label formats. Each Solar Label Convenience Pack contains 10 solar installation labels. Choose from a variety of regular and reflective preprinted labels. For enhanced durability, clear laminate overlay labels are also available in a convenience pack.

Arc Flash Label, DANGER APPROPRIATE PPE REQUIRED, 5.0" x **Short Description** 

3.75", PET, Red/White, 10/pkg

Global Part Name AF5X35D-840/281-RD

Width W (Imperial) 5.00

Width W (Metric) 127

Thickness T (Imperial) 0.0025

Thickness T (Metric) 64.0

Height H (Imperial) 3.75

95.25 Height H (Metric)

Material Type 840/281, Polyester, UV-stabilised, clear polyester laminate (840/281)

Material Shortcut 840/281

Adhesive	Acrylic
Halogen Free	Yes
UV Resistant (Yes/No)	Yes
Adhesive Operating Temperature	-40°F to +302°F (-40°C to +150°C)
Operating Temperature	-40°F to +302°F (-40°C to +150°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Certification/Specification	NEC2014 NEC2020 NEC2017 NEC2011 NEC2023
Warranty (US)	Yes
UL Recognized (US)	Yes
Package Quantity (Imperial)	10
Package Quantity (Metric)	10
Customs Number	3919905060
Labels per Column	1
Labels per Row	1

## About HellermannTyton HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions