

Specification Sheet

Part Number: 596-97000

Removable and repositionable on hard surfaces for up to 180 days.

Removable and repositionable on carpeting for up to 90 days.

Meets UL410 for slip-resistance and abrasion.

OBSERVE SOCIAL DISTANCING - DO NOT CROSS

Article Number 596-97000

Type FTSD2V

Color Yellow with black print (YEBK)

Quantity Per EA

Product Description Floor tape is used to ensure social distancing practices are followed. It can be placed on multiple types of indoor surfaces including tile, carpeting or concrete and removed months later.

Short Description Floor Tape, 2" x 50', Observe Social Distancing - Do Not Cross, Yellow, Vinyl, 50 ft/roll

Global Part Name FTSD2V-V-YE

Length L (Imperial)	50
Length L (Metric)	15.24
Width W (Imperial)	2.0
Width W (Metric)	50.8
Thickness T (Imperial)	.0025
Thickness T (Metric)	64.0
Height H (Imperial)	2.0
Height H (Metric)	50.8
Width of Liner (Metric)	50.8
Width of Liner (Imperial)	2.0

Material Vinyl (V)

Material Shortcut V

Adhesive Acrylic

Halogen Free No

UV Resistant (Yes/No) No

Adhesive Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Certification/Specification	UL UL 410
Package Quantity (Imperial)	50
Package Quantity (Metric)	15.24
Customs Number	3919102055
Labels per Column	1
Labels per Row	1

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)