

box terminal 4 units accessory for: 3VA5 125



Model	
product brand name	SETRON
product designation	accessories
Accessories	Box terminal
General technical data	
designation / of the terminal	TS1.1
Connections according IEC	
connectable conductor cross-section	
<ul style="list-style-type: none"> <li>for copper cable / stranded / minimum</li> <li>for copper cable / stranded / maximum</li> </ul>	1.5 mm <sup>2</sup> 70 mm <sup>2</sup>
stripped length	12 mm
tightening torque / when using copper cables	
<ul style="list-style-type: none"> <li>solid</li> <li>stranded</li> <li>finely stranded</li> </ul>	1.5 - 16 mm <sup>2</sup> : 45 lb-in 1.5 - 16 mm <sup>2</sup> : 45 lb-in 25 - 70 mm <sup>2</sup> : 70 lb-in 1.5 - 16 mm <sup>2</sup> : 45 lb-in 25 - 50 mm <sup>2</sup> : 70 lb-in
Connections according UL	
stripped length	0.5 in
connectable conductor cross-section	
<ul style="list-style-type: none"> <li>for copper cable / solid / minimum</li> <li>for copper cable / solid / maximum</li> <li>for copper cable / stranded / minimum</li> <li>for copper cable / stranded / maximum</li> <li>for copper cable / finely stranded / minimum</li> <li>for copper cable / finely stranded / maximum</li> </ul>	14 AWG 10 AWG 14 AWG 3/0 AWG 14 AWG 3/0 AWG
tightening torque / when using copper cables	
<ul style="list-style-type: none"> <li>solid</li> <li>stranded</li> <li>finely stranded</li> </ul>	14 - 10 AWG: 45 lb-in 14 - 6 AWG: 45 lb-in 4 AWG - 3/0: 70 lb-in 14 - 6 AWG: 45 lb-in 4 AWG - 3/0: 70 lb-in
Further information	
<b>Information- and Downloadcenter (Catalogs, Brochures,...)</b> <a href="http://www.siemens.com/lowvoltage/catalogs">http://www.siemens.com/lowvoltage/catalogs</a>	
<b>Industry Mall (Online ordering system)</b> <a href="https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9134-0JA11">https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9134-0JA11</a>	
<b>Service&amp;Support (Manuals, Certificates, Characteristics, FAQs,...)</b> <a href="https://support.industry.siemens.com/cs/ww/en/ps/3VA9134-0JA11">https://support.industry.siemens.com/cs/ww/en/ps/3VA9134-0JA11</a>	
<b>Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)</b> <a href="http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9134-0JA11">http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9134-0JA11</a>	
<b>CAX-Online-Generator</b> <a href="http://www.siemens.com/cax">http://www.siemens.com/cax</a>	
<b>Tender specifications</b> <a href="http://www.siemens.com/specifications">http://www.siemens.com/specifications</a>	



last modified:

7/5/2022 