


-XX IN THE ENDING OF THE CABLE PART NUMBER IS CALLING OUT THE LENGTH OF THE ASSEMBLY FROM CENTER TO MATING FLANGE OF CONNECTORS. EXAMPLES SHOWN BELOW:

LTI P/N: CB1.37-IPXLK-SARFGT-6IN (4 INCHES)  
 CB1.37-IPXLK-SARFGT-10IN (10 INCHES)



**SCALE: NONE**

ITEM	PART NUMBER	DESCRIPTION	QTY
1	CB1.37-2IPXLK-500MM	IPXLK (MHF1 LK) LOCKING, RHT ANGLE, JACK, CABLE CRIMP (I-PEX 20351-112R-37)	0.5
2	SASRF11GT-316	SMA, STRAIGHT, REV POL JACK, CABLE CRIMP	1
3	1635F-1/8"	.125 (1/8) DIA, .75 LENGTH, GREEN	1

REVISIONS				
REV	ECR	DESCRIPTION	DRAWN	DATE
1		PRODUCTION RELEASE	M. LARSEN	07/18/2022

IPX® AND MHF® ARE REGISTERED TRADEMARKS OF I-PEX CO., LTD. CORPORATION

DO NOT SCALE DRAWING		
TOLERANCES UNLESS OTHERWISE SPECIFIED		
DIMENSIONS ARE IN MILLIMETERS		
X	= ±0.5	
XX	= ±0.25	
XXX	= ±0.13	
ANGLE	= ±30°	
THIRD ANGLE PROJECTION		
CUSTOMER APPROVAL		
SIGN / DATE:		
ENG APPR.	P. BURDGE	07/18/2022
CHECKED	M. HELD	07/18/2022
DRAWN	M. LARSEN	07/18/2022
NAME		DATE

San Diego, CA WWW.RFCONNECTOR.COM	
<b>TITLE</b> CABLE ASSEMBLY, IPXLK (MHF1 LK) LOCKING R/A JACK, CRIMP TO RP SMA JACK, CRIMP USING 1.37 MICRO COAX	
<b>SIZE</b> B	<b>PART/DWG. NO:</b> CB1.37-IPXLK-SARFGT-xxIN
<b>SCALE:</b> 2:1	<b>FILE NAME</b>
<b>REV</b> A	<b>SHEET 1 OF 1</b>

**PROPRIETARY AND CONFIDENTIAL**

UNLESS OTHERWISE SPECIFIED, THIS DOCUMENT CONTAINS LIGHORSE TECHNOLOGIES INFORMATION. REPRODUCTION, USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF LIGHORSE TECHNOLOGIES. LIGHORSE TECHNOLOGIES RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPYRIGHTS AND TRADE SECRETS. COPY RIGHTS OF LIGHORSE TECHNOLOGIES 2011, ALL RIGHTS RESERVED.



6 | 5 | 4 | 3 | 2 | 1