

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHTAPRIL 2016

TE CONNECTIVITY

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

SMART PART NUMBER

2MM - HB - S - HT - - - -

PRODUCT SERIES

2MM

AMPMODU 2mm series

GENDER / TYPE

HB

Breakaway headers

NUMBER OF ROWS

S

Single row

NUMBER OF PINS PER ROW

XX

02 through 25
(enter two digits)

ORIENTATION & TERMINATION

HT

Horizontal through hole

PACKAGING

TB	Tube without cap
TBP	Tube with cap
TRP	Tape and reel with cap
BX	Box

PLATING

T	Tin
F	0.1µm Gold (Gold flash)
M	0.38µm Gold
H	0.76µm Gold

TAIL LENGTH (L)

01	2.2 mm
02	2.8 mm
03	3.4 mm

SMART PN EXAMPLES :

1. AMPMODU 2MM, BREAKAWAY HEADER, SINGLE ROW , 02 POSITION PER ROW , RIGHT ANGLE MOUNT, 2.2MM SOLDER TAIL LENGTH, TIN PLATING, TUBE W/O CAP
2MM-HB-S02-HT-01-T-TB

2. AMPMODU 2MM, BREAKAWAY HEADER, SINGLE ROW , 25 POSITION PER ROW , RIGHT ANGLE MOUNT, 3.4MM SOLDER TAIL LENGTH, 0.76µm GOLD PLATING, BOX PACKAGING
2MM-HB-S25-HT-03-H-BX

THIS PRINT IS

PRELIMINARY

UNQUALIFIED PRODUCT
CONTACT PRODUCT ENGINEERING
BEFORE USING THIS PRINT

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±0.1

2 PLC ±0.05

3 PLC ±

4 PLC ±

ANGLES ±°

FINISH

MATERIAL
SEE NOTES

SEE NOTES

DWN RAKESH 15APR2016

CHK KARTHIK 15APR2016

APVD PRASHANTH 15APR2016

PRODUCT SPEC 108-64040

APPLICATION SPEC 114-64040

WEIGHT

CUSTOMER DRAWING

TE Connectivity

NAME AMPMODU 2mm BREAKAWAY HEADER
SINGLE ROW , RIGHT ANGLE

SIZE A2

CAGE CODE 00779

DRAWING NO 2823090

RESTRICTED TO -

SCALE 1:1

SHEET 3 OF 3

REV 5

1471-9 (3/13)