




LOC		DIST		REVISIONS					
ES	00	P	LTR	DESCRIPTION		DATE	DWN	APVD	
		F9		ADDED 6-2, 6-3, 6-4, 6-5, 6-6, AND 6-7		19JUN2023	DP	HW	




- OPTIONAL CENTER MODULE.
- COMPANY TRADEMARK, PART NUMBER, AND DATE CODE TO BE MARKED IN AREA SHOWN PARTS UNDER 2.00 LONG MAY BE MARKED ON BOTH SIDES.
- MATERIAL: THERMO PLASTIC, UL94 V-0.
- DATUM LOCATIONS AND BASIC DIMENSIONS TO BE ESTABLISHED BY THE CUSTOMER.
- BULKHEAD THICKNESS RANGE: .031 - .100
- CONNECTOR MATED TO PANEL FROM OPPOSITE SIDE.
- NO BURRS ALLOWED ON OPPOSITE (MATING) SIDE.
- CONNECTOR KEEP OUT ZONE.
- MOUNT CONNECTOR WITH TYCO HARDWARE KIT (1600914-7 OR 1600000-3) FOR .050 [1.27mm] MIN RADIAL FLOAT.
- VARIABLE DIM. PLEASE SEE TABLE OR DETAIL DIM PER PART NO.
- FOR THE CONFIGURATION WITH VENT HOLES, PLEASE REFER TO THE SHEET 3.
- FOR THE CONFIGURATION OF 3-1892903-2, PLEASE REFER TO THE SHEET 2.



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C.ZHOU	09JUN2009	TE Connectivity	
		CHK S.ZHAO	09JUN2009		
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC ±.01		PRODUCT SPEC	
		1 PLC ±.01		108-2157	
		2 PLC ±.005		APPLICATION SPEC	
		3 PLC ±.0020		114-13112	
		ANGLES ±.0020		SIZE CAGE CODE DRAWING NO	
		FINISH		RESTRICTED TO	
MATERIAL		WEIGHT		A100779C=1892903	
		CUSTOMER DRAWING		SCALE 1:1 SHEET 1 OF 9 REV F9	

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	SEE SHEET 1	-	-	-	



FOR THE CONFIGURATION WITHOUT KEY
PART NUMBER: 3-1892903-2

1600914-7	NO	.350	2.145	1.695	.350	3.240	3.590	.395	4.640	4.150	4ACP + 10S + 4ACP	6-1892903-7
1600914-7	NO					2.445	2.795	-	3.845	3.355	12S + 2LP + 5ACP	6-1892903-6
1600914-7	NO	.1115	1.653	.295	-	2.155	2.505	-	3.555	3.065	52S + 6LP	6-1892903-5
1600914-7	NO					3.710	4.060	-	5.110	4.620	8S + 8LP + 8ACP	6-1892903-4
1600914-7	NO	-	1.970	1.220	.300	1.990	2.340	.370	3.390	2.900	3ACP + 24S + 1ACP	6-1892903-3
1600914-7	NO	.300	1.170	.920	.300	1.490	1.840	.370	2.890	2.400	2ACP + 4S + 2ACP	6-1892903-2
1600914-7	NO	-	.895	.645	-	.940	1.290	.395	2.340	1.850	1ACP + 4S + 1ACP	6-1892903-1
1600914-7	NO	.250	2.345	1.320	.250	3.090	3.440	.345	4.490	4.000	4P + 36S + 4P	6-1892903-0
1600914-7	NO	-	-	3.920		4.640	4.990	.370	6.040	5.550	3ACP + 10P + 36S	5-1892903-7
1600914-7	NO	.1115	2.3675	1.010	.1115	2.640	2.990	.2775	4.040	3.550	6LP + 52S + 4LP	5-1892903-6
1600914-7	NO	.300	1.570	1.220	.300	2.190	2.540	.370	3.590	3.100	3ACP + 8S + 3ACP	5-1892903-4
1600914-7	NO	.300	1.570	1.220	.300	2.190	2.540	.370	3.590	3.100	3ACP + 8S + 3ACP	5-1892903-3
1600914-7	NO	.300	1.870	1.520	.300	2.790	3.140	.370	4.190	3.700	4ACP + 8S + 4ACP	5-1892903-2
1600914-7	NO	.300	1.270	.920	.300	1.590	1.940	.370	2.990	2.500	2ACP + 8S + 2ACP	5-1892903-1
1600914-7	NO	-	-	.295	-	1.140	1.490	-	2.540	2.050	40S	5-1892903-0
1600914-7	NO	.1115	2.5675	1.010	.1115	3.070	3.420	.2775	4.470	3.980	6LP + 60S + 6LP	4-1892903-8
1600914-7	NO	.1115	.7825	.550	.1115	.825	1.175	.2775	2.225	1.735	2LP + 8S + 2LP	4-1892903-7
1600914-7	NO	-	-	2.195		2.615	2.965	.370	4.015	3.525	3ACP + 4P + 24S	4-1892903-6
1600000-3	NO	.300	1.670	.920	.300	1.990	2.340	.370	3.390	2.900	2ACP + 24S + 2ACP	4-1892903-5
1600914-7	NO		.820	.295	-	3.440	3.790	-	4.840	4.350	16S + 11P	4-1892903-4
1600914-7	NO	-	-	4.420		4.940	5.290	.370	6.340	5.850	15P + 28S	4-1892903-3
1600914-7	NO	.200	1.295	.720	.200	1.490	1.840	.345	2.890	2.400	2HDP+ 20S + 2HDP	4-1892903-2
1600914-7	NO	.300	-	5.050	.300	5.170	5.520	.370	6.570	6.080	15ACP + 2LP + 12S	4-1892903-0
1600914-7	NO	.300	1.370	.920	.300	1.690	2.040	.370	3.090	2.600	2ACP + 12S + 2ACP	3-1892903-9
1600914-7	NO	.300	1.970	.920	.300	2.290	2.640	.370	3.690	3.200	2ACP + 36S + 2ACP	3-1892903-8
1600914-7	NO	.300	1.970	.920	.300	2.290	2.640	.370	3.690	3.200	2ACP + 36S + 2ACP	3-1892903-7
1600914-7	NO	.300	1.970	1.220	.300	2.590	2.940	0.370	3.990	3.500	3ACP + 20S + 3ACP	3-1892903-6
1600914-7	NO	-	-	1.520	.300	2.140	2.490	.370	3.540	3.050	4ACP + 32S	3-1892903-5
1600914-7	NO	-	.845	.545	-	.840	1.190	.345	2.240	1.750	1P + 8S + 1P	3-1892903-4
1600914-7	NO	-	.970	.620	-	.990	1.340	.370	2.390	1.900	1ACP + 8S + 1ACP	3-1892903-3
1600914-7	NO	-	-	4.420		4.940	5.290	.370	6.340	5.850	15P + 28S	3-1892903-2
1600914-7	NO	-	-	4.420		4.940	5.290	.370	6.340	5.850	15P + 28S	3-1892903-1
1600000-3	NO	.300	1.470	.920	.300	1.790	2.140	.370	3.190	2.700	2ACP + 16S + 2ACP	3-1892903-0
1600914-7	NO	.250	.620	.295	-	.865	1.215	-	2.265	1.775	8S + 2P	2-1892903-9
1600914-7	NO	.250	.620	.295	-	1.365	1.715	-	2.765	2.275	8S + 4P	2-1892903-8
1600914-7	NO	.250	2.345	1.820	.250	3.090	3.440	.345	4.490	4.000	6P + 16S + 4P	2-1892903-7
1600914-7	NO	-	-	.295	-	.640	.990	-	2.040	1.550	20S	2-1892903-6
1600914-7	NO	-	-	1.320	.200	1.640	1.990	.345	3.040	2.550	5HDP + 20S	2-1892903-5
1600914-7	NO	.250	1.495	1.020	.250	1.990	2.340	.345	3.390	2.900	3P + 16S + 3P	2-1892903-4
1600914-7	NO	.300	.970	.620	-	1.290	1.640	.370	2.690	2.200	1ACP + 8S + 2ACP	2-1892903-2
1600914-7	NO	.300	1.870	1.220	.300	2.490	2.840	.370	3.890	3.400	3ACP + 20S + 3ACP	2-1892903-1
1600914-7	NO	.200	1.020	.720	.200	1.390	1.740	.320	2.790	2.300	2HDP + 8S + 3HDP	2-1892903-0
1600914-7	NO	-	-	4.420		4.940	5.290	.370	6.340	5.850	15P + 28S	1-1892903-9
1600914-7	NO	.300	1.070	.320	-	3.490	3.840	-	4.890	4.400	24S + 9P	1-1892903-7
1600914-7	NO		2.170	.795		4.390	4.740	.345	5.790	5.300	2P + 48S + 10P	1-1892903-6
1600000-3	NO	.300	1.770	1.220	.300	2.390	2.740	.370	3.790	3.300	3ACP + 16S + 3ACP	1-1892903-5
1600000-3	NO	-	-	1.270	.300	1.590	1.940	.395	2.990	2.500	3ACP + 16S	1-1892903-4
1600000-3	NO	-	-	1.520	.200	1.790	2.140	.320	3.190	2.700	6P + 16S	1-1892903-3
1600914-7	NO	-	-	1.845	.375	1.890	2.240	.345	3.290	2.800	4ACP + 8S	1-1892903-1
1600914-7	NO	.250	1.345	.845	.250	1.640	1.990	.395	3.040	2.550	2HDP + 16S + 2HDP	1-1892903-0
1600914-7	NO	.250	2.770	1.845	.250	3.540	3.890	.370	4.940	4.300	6P + 32S + 4P	1892903-8
160014-7	NO	.300	1.920	1.170	.300	2.490	2.840	.320	3.890	3.400	3ACP + 24S + 3ACP	1892903-7
1600914-7	NO	.1115	1.853	1.220	.300	2.125	2.475	.370	3.525	3.035	3ACP + 24S + 4LP	1892903-4
1600914-7	NO					5.040	5.390	.345	6.440	5.950	2P+16S+1P+2ACP+5P+2ACP+1P+16S+1P+8S	1892903-3
1600914-7	YES		2.395	1.920	.300	2.965	3.315	.370	4.365	3.875	4ACP + 12S + 3P	1892903-1
KIT P/N		DIM T	DIM R	DIM W	DIM S	DIM U	DIM L	DIM K	DIM F	DIM E	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
INCHES

MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC
1 PLC
2 PLC
3 PLC
4 PLC
ANGLES
FINISH

±"
±.01
±.005
±.0020
±.2"

DWN
C. ZHOU
CHK
S. ZHAO

09JUN2009
09JUN2009

APVD

PRODUCT SPEC
108-2157

APPLICATION SPEC
114-13112

WEIGHT

CUSTOMER DRAWING

DWN
C. ZHOU
CHK
S. ZHAO

09JUN2009
09JUN2009

APVD

NAME

PANEL MOUNT CABLE RECEPTACLE HOUSING, WITH GUIDES MULTI-BEAM XLE

SIZE
A1

CAGE CODE
100779

DRAWING NO
C=1892903

RESTRICTED TO

SCALE
1:1

SHEET
2












OF
9


REV
F9






















































-	NO CONTACTS LOADED
LP	LOW POWER CONTACT
RA	MFBL POWER CONTACT
RM	STANDARD POWER CONTACT
E	SIGNAL CONTACT
CODE	DESCRIPTION
CONTACT TABLE	

4805 (3/11)








PART NUMBER	ROWS		POWER		SIGNAL				POWER		
			P4	P3	4	3	2	1	P2	P1	
1-1892903-0	D		 RM	 RM	 E				 RM	 RM	
	C				 E						
	B				 E						
	A				 E						
					 E						
2HDP + 16S + 2HDP											











PART NUMBER	ROWS		POWER			SIGNAL						POWER			
			P6	P5	P4	6	5	4	3	2	1	P3	P2	P1	
1892903-7	D					E	E	E	E	E	E				
	E					E	E	E	E	E					
	E					E	E	E	E	E					
	E					E	E	E	E	E					
3ACP + 24S + 3ACP															






PART NUMBER	ROWS		POWER				SIGNAL								POWER							
			P10	P9	P8	P7	8	7	6	5	4	3	2	1	P6	P5	P4	P3	P2	P1		
1892903-8	D C B A																					
																						
																						
																						
6P + 32S + 4P																						









































































LOC	DIST	REVISIONS				
ES	00	P	LTR	DESCRIPTION		DATE
				SEE SHEET 1		

PART NUMBER	ROWS		SIGNAL				POWER					
			4	3	2	1	P6	P5	P4	P3	P2	
1-1892903-3	D C B A		E	E	E	E						
			E	E	E	E						
			E	E	E	E						
			E	E	E	E						
6P + 16S												







































































NO CONTACTS LOADED

PART NUMBER	ROWS		POWER			SIGNAL				POWER			
			P6	P5	P4	4	3	2	1	P3	P2	P1	
1-1892903-5	D					E	E	E	E				
	E					E	E	E					
	E					E	E	E					
	E					E	E	E					
3ACP + 16S + 3ACP													

PART NUMBER	ROWS		SIGNAL				POWER			
			4	3	2	1	P3	P2	P1	
1-1892903-4	D C B A		E	E	E	E				
			E	E	E	E				
			E	E	E	E				
			E	E	E	E				
3ACP + 16S										

PART NUMBER	ROWS		POWER									SIGNAL						
			P9	P8	P7	P6	P5	P4	P3	P2	P1	6	5	4	3	2	1	
1-1892903-7	D C B A																	
																		
																		
																		
																		
24S + 9P																		

NO CONTACT LOADED

PART NUMBER	ROWS		POWER										SIGNAL												POWER																																																																																																																																																																																																																																																																																							
			P12	P11	P10	P9	P8	P7	P6	P5	P4	P3	12	11	10	9	8	7	6	5	4	3	2	1	P2	P1																																																																																																																																																																																																																																																																																						
1-1892903-6	D C B A		 RM	 ↑	 RM	 ↑	 RM	 ↑	 RM	 ↑	 RM	 ↑	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	 E	

NO CONTACTS LOADED

NO CONTACTS LOADED

NO CONTACT LOADED
















PART NUMBER	ROWS		SIGNAL							POWER															
			7	6	5	4	3	2	1	P15	P14	P13	P12	P11	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1	
1-1892903-9	D C B A		E	E	E				E																
			E	E	E				E																
			E	E	E				E																
			E	E	E				E																
15P + 28S																									


NO CONTACTS LOADED

NO CONTACTS LOADED

.250
11 PLC

.375
3 PLC

PART NUMBER	ROWS		POWER			SIGNAL		POWER		
			P5	P4	P3	2	1	P2	P1	
2-1892903-0	D C B A									
										
										
										
2HDP + 8S + 3HDP										



PART 1-1892903-6

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
INCHES

MATERIAL
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.01
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°
FINISH -

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN C.ZHOU 09JUN2009
CHK S.ZHAO 09JUN2009
APVD -

PRODUCT SPEC 108-2157
APPLICATION SPEC 114-13112
WEIGHT -

CUSTOMER DRAWING

TE Connectivity

PANEL MOUNT CABLE RECEPTACLE HOUSING, WITH GUIDES MULTI-BEAM XLE

SIZE A1
CAGE CODE 00779
DRAWING NO. 1892903








RESTRICTED TO -

SCALE 1:1




SHEET 5 OF 9

REV F9



LOC	DIST	REVISIONS					
		P	LYR	DESCRIPTION	DATE	DWN	APVD
ES	00	-	-	SEE SHEET 1	-	-	-



NO CONTACTS LOADED



NO CONTACTS LOADED



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
C. ZHOU
CHK
S. ZHAO
APVD
-

09JUN2009
09JUN2009
-

DIMENSIONS:
INCHES

0 PLC ±"
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°
FINISH -

TOLERANCES UNLESS OTHERWISE SPECIFIED:

PRODUCT SPEC
108-2157
APPLICATION SPEC
114-13112
WEIGHT -
CUSTOMER DRAWING

TE Connectivity

PANEL MOUNT CABLE RECEPTACLE HOUSING, WITH GUIDES MULTI-BEAM XLE

SIZE
A1

CAGE CODE
00779

DRAWING NO
C=1892903

RESTRICTED TO
-











SCALE
1:1

SHEET
6

OF
9

REV
F9

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
C. ZHOU
CHK
S. ZHAO
APVD
-

09JUN2009
09JUN2009
-

DIMENSIONS:
INCHES

0 PLC ±.01
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°
FINISH -

TOLERANCES UNLESS OTHERWISE SPECIFIED:

PRODUCT SPEC
108-2157
APPLICATION SPEC
114-13112
WEIGHT -

NAME

PANEL MOUNT CABLE RECEPTACLE HOUSING, WITH GUIDES MULTI-BEAM XLE

SIZE
A1

CAGE CODE
00779

DRAWING NO
1892903

RESTRICTED TO
-

CUSTOMER DRAWING

SCALE
1:1

SHEET
7

OF
9





REV
F9



TE Connectivity

TE

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-


PART NUMBER	ROWS		POWER				SIGNAL									POWER				
			P8	P7	P6	P5	9	8	7	6	5	4	3	2	1	P4	P3	P2	P1	
6-1892903-0	D		RM	RM	RM	RM	E	E	E	E	E	E	E	E	E	RA	RA	RA	RA	
	C						E	E	E	E	E	E	E	E	E					
	B						E	E	E	E	E	E	E	E	E					
	A						E	E	E	E	E	E	E	E	E					
4P + 36S + 4P																				

PART NUMBER	ROWS		POWER	SIG	POWER	
			P2	I	P1	
6-1892903-1	D		RM	E	RA	
	C			E		
	B			-		
	A			-		
1ACP + 4S + 1ACP						

PART NUMBER	ROWS		POWER		SIG	POWER		
			P4	P3	I	P2	P1	
6-1892903-2	D		RM	RM	E	RM	RM	
	C				E			
	B				E			
	A				E			
2ACP + 4S + 2ACP								



PART NUMBER	ROWS		POWER	SIGNAL						POWER			
			P4	6	5	4	3	2	1	P3	P2	P1	
6-1892903-3	D		RM	E	E	E	E	E	E	RM	RM	RM	
	C			E	E	E	E	E	E				
	B			E	E	E	E	E	E				
	A			E	E	E	E	E	E				
3ACP + 24S + 1ACP													

PART NUMBER	ROWS		POWER																S I G			
			P8	P7	P6	P5	P4	P3	P2	P1	LP8	LP7	LP6	LP5	LP4	LP3	LP2	LP1	2	1		
6-1892903-4	D		RM	RM	RM	RM	RM	RM	RM	RM	LP	LP	LP	LP	LP	LP	LP	LP	E	E		
	C																		E	E		
	B																		E	E		
	A																		E	E		
8S + 8LP + 8ACP																						




PART NUMBER 6-1892903-4

PART NUMBER	ROWS		POWER				SIGNAL			POWER				
			P8	P7	P6	P5	3	2	1	P4	P3	P2	P1	
6-1892903-7	D		RM	RM	RM	RM	E	-	-	RM	RM	RM	RM	
	C						E	E	E					
	B						E	E	E					
	A						E	E	E					
4ACP + 10S + 4ACP														

PART NUMBER	ROWS		LOW POWER						SIGNAL																
			LP6	LP5	LP4	LP3	LP2	LP1	13	12	11	10	9	8	7	6	5	4	3	2		1			
6-1892903-5	D		LP	LP	LP	LP	LP	LP	E	E	E	E	E	E	E	E	E	E	E	E	E				
	C								E	E	E	E	E	E	E	E	E	E	E	E	E		E	E	
	B								E	E	E	E	E	E	E	E	E	E	E	E	E		E	E	E
	A								E	E	E	E	E	E	E	E	E	E	E	E	E		E	E	E
52S + 6LP																									

PART NUMBER	ROWS		POWER					LOW POWER		SIGNAL			
			P5	P4	P3	P2	P1	LP2	LP1	3	2	1	
6-1892903-6	D		RM	RM	RM	RM	RM	LP	LP	E	E	E	
	C									E	E	E	
	B									E	E	E	
	A									E	E	E	
12S + 2LP + 5ACP													



PART NUMBER 6-1892903-6

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
INCHES

MATERIAL

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.01
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°
FINISH -

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
C.ZHOU
CHK
S.ZHAO

09JUN2009
09JUN2009

APVD
-

PRODUCT SPEC
108-2157

APPLICATION SPEC
114-13112

WEIGHT
-

CUSTOMER DRAWING

NAME
PANEL MOUNT CABLE RECEPTACLE HOUSING, WITH GUIDES MULTI-BEAM XLE

SIZE
A1

CAGE CODE
00779

DRAWING NO
1892903

RESTRICTED TO
-

SCALE
1:1

SHEET
9

OF
9

REV
F9

TE Connectivity