





LOC		DIST		REVISIONS						
ES	00	P	LTR	DESCRIPTION				DATE	DWN	APVD
		B1	ECR-21-118862					05NOV2021	SM	FL
		B2	ECR-23-171273					11APR2023	SM	FL
		B3	ECR-23-173273					03MAY2023	SM	FL
		B4	ECR-23-177634					19JUN2023	SM	FL


NOTE

- 1 HOUSING HAS RAST 5 COMPLIANT KEYING, LATCHING, AND POLARIZATION
TAB IS 6.30 X 0.8 ACCORDING TO DIN 46244
- 2 SEE SHEET 2 FOR AVAILABLE CONFIGURATIONS
- 3 MATERIAL: HOUSING, NYLON, UL94 V0, 750°C GWT NO FLAME
CONTACT, COPPER ALLOY, 0.8MM THICK
- 4 FINISH: CONTACTS, MATT TIN PLATING OVERALL, NICKEL UNDER-PLATING
BRIGHT TIN PLATING OVERALL, NICKEL UNDER-PLATING
SILVER PLATING OVERALL, NICKEL UNDER-PLATING
- 5 PCB TABS INSERTED IN A STAGGERED PATTERN BEGINNING WITH POSITION 1 (C<+1)
- 6 THE PART NUMBERS SHOWING IN SHEET 2 & 3 & 4 & 5 ARE FOR NATURAL COLOR . THE PART NUMBER FOR OTHER COLOR ARE BASED ON THE NATURAL ONE: FOR THE SAME CONFIGURATION, THE PREFIX AND POSTFIX OF THE P/N ARE THE SAME, ONLY THE BASE NUMBER IS DIFFERENT ACCORDING TO DIFFERENT COLOR, DETAIL PLEASE SEE SHEET 6
- 7 PACKAGING: LOOSE PIECE OR TUBE. THE PART NUMBERS IN THIS DRAWING ARE WITH LOOSE PIECE PACKAGING. PLEASE CONTACT TE SALES REPRESENTATIVES FOR TUBE PACKAGING REQUIREMENT.
- 8 PRELIMINARY PART, NOT RELEASED FOR PRODUCTION.
- 9 FOR P/N: 2-1971895-4:
1) THE CONTACTS ARE WITH BRIGHT TIN PLATING
2) INSERTION FORCE MATING WITH 4P MONO SHAPE MKI CONNECTOR: 85N MAX
ACCORDING TO IEC 60512-13-1, Test 13a.
- 10 FOR P/N: 5-1971845-8, 2-1971845-6, 6-1971845-5 AND 2-1971895-5:
1) THE CONTACTS ARE WITH BRIGHT TIN PLATING.
- 11 PART NUMBERS WITH TUBE PACKAGING




SECTION A-A

- 12 TOOL MARK ON TERMINAL SURFACE IS ACCEPTABLE WHICH DOES NOT IMPACT FUNCTION
- 13 PACKAGING WITH NORMAL PE BAG
- 14 THREE ALTERNATIVE RESIN, COMPLAINT TO UL97-V0, GWT 750°C NO FLAME





RECOMMEND PCB LAYOUT - SOLDER SIDE
EVEN NUMBER OF PINS
PCB 15±0.2 THICK






































































RECOMMEND PCB LAYOUT - SOLDER SIDE
ODD NUMBER OF PINS
PCB 15±0.2 THICK

42.30	40.30	8
37.30	35.30	7
32.30	30.30	6
27.30	25.30	5
22.30	20.30	4
17.30	15.30	3
12.30	10.30	2
N	M	NO. OF POS.

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN	WRP	21Jan2013	<div><div>TE Connectivity</div><div>RAST 5 TAB HEADER ASSY DIN STYLE, TH, VERTICAL</div></div>		
DIMENSIONS:			CHK	HAPYE	21Jan2013			
mm			APVD	YHM	21Jan2013			
			NAME					
			TOLERANCES UNLESS OTHERWISE SPECIFIED:			PRODUCT SPEC		
			0 PLC ±.01			108-106080		
			2 PLC ±0.25			APPLICATION SPEC		
			3 PLC ±.01			SIZE		
4 PLC ±.01			CAGE CODE			DRAWING NO		
ANGLES			±.2°			RESTRICTED TO		
FINISH						A1		
MATERIAL						00779 ©=1971845		
						Customer Drawing		
						SCALE		
						8:1		
						SHEET		
						1		
						OF		
						6		
						REV		
						B4		


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

NATURAL	8	TAB CONTACT MATT TIN PLATING (5-1971845-8, 6-1971845-5, 2-1971845-6 AND 2-1971895-5 WITH BRIGHT TIN)	I	RAST 5 TAB HEADER HOUSING,8P. (SEE THE DETAIL LAYOUT ON SHEET 5)	8	6-1971845-8 5-1971845-8  4-1971845-8 3-1971845-8 2-1971845-8 1-1971845-8 1971845-8																																						
RED	7		I	RAST 5 TAB HEADER HOUSING,7P. (SEE THE DETAIL LAYOUT ON SHEET 5)	7	1971946-7 1971895-7 9-1971845-7 8-1971845-7 7-1971845-7 6-1971845-7 5-1971845-7 4-1971845-7 3-1971845-7 2-1971845-7 1-1971845-7 1971845-7																																						
NATURAL						6	I	RAST 5 TAB HEADER HOUSING,6P. (SEE THE DETAIL LAYOUT ON SHEET 5)	6	1-1971895-6 1971895-6 9-1971845-6 8-1971845-6 7-1971845-6 6-1971845-6 5-1971845-6 4-1971845-6 3-1971845-6 2-1971845-6  1-1971845-6 1971845-6																																		
										5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5	1971954-5  2-1971895-5  1-1971895-5 1971895-5 9-1971845-5 8-1971845-5 7-1971845-5 6-1971845-5  5-1971845-5 4-1971845-5 3-1971845-5 2-1971845-5 1-1971845-5 1971845-5																														
														NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5	1971954-5  2-1971895-5  1-1971895-5 1971895-5 9-1971845-5 8-1971845-5 7-1971845-5 6-1971845-5  5-1971845-5 4-1971845-5 3-1971845-5 2-1971845-5 1-1971845-5 1971845-5																									
																			NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5	1971954-5  2-1971895-5  1-1971895-5 1971895-5 9-1971845-5 8-1971845-5 7-1971845-5 6-1971845-5  5-1971845-5 4-1971845-5 3-1971845-5 2-1971845-5 1-1971845-5 1971845-5																				
																								NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5	1971954-5  2-1971895-5  1-1971895-5 1971895-5 9-1971845-5 8-1971845-5 7-1971845-5 6-1971845-5  5-1971845-5 4-1971845-5 3-1971845-5 2-1971845-5 1-1971845-5 1971845-5															
																													NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5	1971954-5  2-1971895-5  1-1971895-5 1971895-5 9-1971845-5 8-1971845-5 7-1971845-5 6-1971845-5  5-1971845-5 4-1971845-5 3-1971845-5 2-1971845-5 1-1971845-5 1971845-5										
																																		NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5	1971954-5  2-1971895-5  1-1971895-5 1971895-5 9-1971845-5 8-1971845-5 7-1971845-5 6-1971845-5  5-1971845-5 4-1971845-5 3-1971845-5 2-1971845-5 1-1971845-5 1971845-5					
																																							NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5	1971954-5  2-1971895-5  1-1971895-5 1971895-5 9-1971845-5 8-1971845-5 7-1971845-5 6-1971845-5  5-1971845-5 4-1971845-5 3-1971845-5 2-1971845-5 1-1971845-5 1971845-5
																																												NATURAL
NATURAL	5		I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5	1971954-5  2-1971895-5  1-1971895-5 1971895-5 9-1971845-5 8-1971845-5 7-1971845-5 6-1971845-5  5-1971845-5 4-1971845-5 3-1971845-5 2-1971845-5 1-1971845-5 1971845-5																																						
						NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5	1971954-5  2-1971895-5  1-1971895-5 1971895-5 9-1971845-5 8-1971845-5 7-1971845-5 6-1971845-5  5-1971845-5 4-1971845-5 3-1971845-5 2-1971845-5 1-1971845-5 1971845-5																																	
											NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5	1971954-5  2-1971895-5  1-1971895-5 1971895-5 9-1971845-5 8-1971845-5 7-1971845-5 6-1971845-5  5-1971845-5 4-1971845-5 3-1971845-5 2-1971845-5 1-1971845-5 1971845-5																												
																NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5	1971954-5  2-1971895-5  1-1971895-5 1971895-5 9-1971845-5 8-1971845-5 7-1971845-5 6-1971845-5  5-1971845-5 4-1971845-5 3-1971845-5 2-1971845-5 1-1971845-5 1971845-5																							
																					NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5	1971954-5  2-1971895-5  1-1971895-5 1971895-5 9-1971845-5 8-1971845-5 7-1971845-5 6-1971845-5  5-1971845-5 4-1971845-5 3-1971845-5 2-1971845-5 1-1971845-5 1971845-5																		
																										NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5	1971954-5  2-1971895-5  1-1971895-5 1971895-5 9-1971845-5 8-1971845-5 7-1971845-5 6-1971845-5  5-1971845-5 4-1971845-5 3-1971845-5 2-1971845-5 1-1971845-5 1971845-5													
																															NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5	1971954-5  2-1971895-5  1-1971895-5 1971895-5 9-1971845-5 8-1971845-5 7-1971845-5 6-1971845-5  5-1971845-5 4-1971845-5 3-1971845-5 2-1971845-5 1-1971845-5 1971845-5								
																																				NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5	1971954-5  2-1971895-5  1-1971895-5 1971895-5 9-1971845-5 8-1971845-5 7-1971845-5 6-1971845-5  5-1971845-5 4-1971845-5 3-1971845-5 2-1971845-5 1-1971845-5 1971845-5			
																																									NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)
NATURAL	5		I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5																																							
						NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5																																		
		NATURAL									5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5	1971954-5  2-1971895-5  1-1971895-5 1971895-5 9-1971845-5 8-1971845-5 7-1971845-5 6-1971845-5  5-1971845-5 4-1971845-5 3-1971845-5 2-1971845-5 1-1971845-5 1971845-5																													
															NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5	1971954-5  2-1971895-5  1-1971895-5 1971895-5 9-1971845-5 8-1971845-5 7-1971845-5 6-1971845-5  5-1971845-5 4-1971845-5 3-1971845-5 2-1971845-5 1-1971845-5 1971845-5																								
																				NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5	1971954-5  2-1971895-5  1-1971895-5 1971895-5 9-1971845-5 8-1971845-5 7-1971845-5 6-1971845-5  5-1971845-5 4-1971845-5 3-1971845-5 2-1971845-5 1-1971845-5 1971845-5																			
																									NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5	1971954-5  2-1971895-5  1-1971895-5 1971895-5 9-1971845-5 8-1971845-5 7-1971845-5 6-1971845-5  5-1971845-5 4-1971845-5 3-1971845-5 2-1971845-5 1-1971845-5 1971845-5														
																														NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5	1971954-5  2-1971895-5  1-1971895-5 1971895-5 9-1971845-5 8-1971845-5 7-1971845-5 6-1971845-5  5-1971845-5 4-1971845-5 3-1971845-5 2-1971845-5 1-1971845-5 1971845-5									
																																			NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5	1971954-5  2-1971895-5  1-1971895-5 1971895-5 9-1971845-5 8-1971845-5 7-1971845-5 6-1971845-5  5-1971845-5 4-1971845-5 3-1971845-5 2-1971845-5 1-1971845-5 1971845-5				
																																								NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5
NATURAL	5		I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5																																							
						NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5																																		
		NATURAL									5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5																														
															NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5																									
																				NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5																				
																									NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5															
																														NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5										
																																			NATURAL	5	I	RAST 5 TAB HEADER HOUSING,5P. (SEE THE DETAIL LAYOUT ON SHEET 4)	5					

GREEN	4		I			1971962-4
natural	4	TAB CCONTACT w/ MATT TIN PLATING (2-1971895-4 IS WITH BRIGHT TIN)	I	RAST 5 TAB HEADER HOUSING,4P (SEE THE DETAIL LAYOUT ON SHEET 4)	4	2298030-4
						9-1971895-4
						8-1971895-4 
						7-1971895-4
						6-1971895-4
						5-1971895-4
						4-1971895-4
						3-1971895-4
						2-1971895-4 
						1-1971895-4
						1971895-4
						 9-2304591-4
						9-1971845-4
						8-1971845-4
						7-1971845-4
						6-1971845-4
	5-1971845-4					
	4-1971845-4					
	3-1971845-4					
	2-1971845-4					
	1-1971845-4					
	1971845-4					
	5-1971895-3					
	4-1971895-3					
	3-1971895-3					
	2-1971895-3					
	1-1971895-3					
	1971895-3					
	9-1971845-3					
	8-1971845-3					
	7-1971845-3					
	6-1971845-3					
	5-1971845-3					
	4-1971845-3					
	3-1971845-3					
	2-1971845-3					
1-1971845-3						
1971845-3						
7-1971895-2						
6-1971895-2						
5-1971895-2						
4-1971895-2						
3-1971895-2						
2-1971895-2						
1-1971895-2						
1971895-2						
9-1971845-2						
8-1971845-2						
7-1971845-2						
6-1971845-2						
5-1971845-2						
4-1971845-2						
3-1971845-2						
2-1971845-2						
1-1971845-2						
1971845-2						
color	QTY	②	QTY	①	NO. OF POS.	TE PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



MATERIAL
-
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±
1 PLC ±
2 PLC ±0.25
3 PLC ±
4 PLC ±
ANGLES
FINISH

DWN: WRP 21Jan2013
CHK: HAPYE 21Jan2013
APVD: YHM 21Jan2013
PRODUCT SPEC
108-106080
APPLICATION SPEC
-
WEIGHT -
Customer Drawing

NAME
RAST 5 TAB HEADER ASSY
DIN STYLE, TH, VERTICAL
-
SIZE
A1
CAGE CODE
00779
DRAWING NO.
©=1971845
RESTRICTED TO
-

TE Connectivity

SCALE 8:1
SHEET 2 OF 6
REV B4


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

NATURAL	8	TAB CCONTACT w/ SILVER PLATING	I	RAST 5 TAB HEADER HOUSING,8P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 5)	8	6-1971846-8 5-1971846-8 4-1971846-8 3-1971846-8 2-1971846-8 1-1971846-8 1971846-8
	7		I	RAST 5 TAB HEADER HOUSING,7P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 5)	7	1971896-7 9-1971846-7 8-1971846-7 7-1971846-7 6-1971846-7 5-1971846-7 4-1971846-7 3-1971846-7 2-1971846-7 1-1971846-7 1971846-7
	6		I	RAST 5 TAB HEADER HOUSING,6P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 5)	6	1-1971896-6 1971896-6 9-1971846-6 8-1971846-6 7-1971846-6 6-1971846-6 5-1971846-6 4-1971846-6 3-1971846-6 2-1971846-6 1-1971846-6 1971846-6
	5		I	RAST 5 TAB HEADER HOUSING,5P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 4)	5	1971896-5 9-1971846-5 8-1971846-5 7-1971846-5 6-1971846-5 5-1971846-5 4-1971846-5 3-1971846-5 2-1971846-5 1-1971846-5 1971846-5
color	QTY	②	QTY	①	NO. OF POS.	TE PART NO.

NATURAL	4	TAB CCONTACT w/ SILVER PLATING	I	RAST 5 TAB HEADER HOUSING,4P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 4)	4	⑧⑬9-2461804-4⑭④ 1-2298031-4 9-1971896-4⑧⑧ 7-1971896-4 6-1971896-4 5-1971896-4 4-1971896-4 3-1971896-4 2-1971896-4 1-1971896-4 1971896-4 9-1971846-4 8-1971846-4 7-1971846-4 6-1971846-4 5-1971846-4 4-1971846-4 3-1971846-4 2-1971846-4 1-1971846-4 1971846-4
	3		I	RAST 5 TAB HEADER HOUSING,3P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 4)	3	4-1971896-3 3-1971896-3 2-1971896-3 1-1971896-3 1971896-3 9-1971846-3 8-1971846-3 7-1971846-3 6-1971846-3 5-1971846-3 4-1971846-3 3-1971846-3 2-1971846-3 1-1971846-3 1971846-3
	2		I	RAST 5 TAB HEADER HOUSING,2P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 4)	2	6-1971896-2 5-1971896-2 4-1971896-2 3-1971896-2 2-1971896-2 1-1971896-2 1971896-2 9-1971846-2 8-1971846-2 7-1971846-2 6-1971846-2 ⑧⑬③5-2461804-2⑭④ 5-1971846-2 4-1971846-2 ⑧⑬③3-2461804-2⑭④ ⑬③3-2304599-2 3-1971846-2 2-1971846-2 1-1971846-2 ⑬③2732384-2 1971846-2
color	QTY	②	QTY	①	NO. OF POS.	TE PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



MATERIAL
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±
1 PLC ±0.25
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±2°
FINISH

DWN: WRP 21Jan2013
CHK: HAPYE 21Jan2013
YHM 21Jan2013
PRODUCT SPEC
108-106080
APPLICATION SPEC
-
WEIGHT -

Customer Drawing

SCALE 8:1

SHEET 3 OF 6

REV B4

NAME RAST 5 TAB HEADER ASSY
DIN STYLE, TH, VERTICAL


SIZE A1

CAGE CODE 00779


DRAWING NO. ③=1971845

RESTRICTED TO -


LOC	DIST	REVISIONS						
		P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-		SEE SHEET 1	-	-	-	




1971845-2
1971846-2
2732384-2




1971895-2
1971896-2




1971845-3
1971846-3




1971895-3
1971896-3




1971845-4
1971846-4




1971895-4
1971896-4




2298030-4




1971845-5
1971846-5
2-1971895-5




1971895-5
1971896-5




1-1971845-2
1-2232000-2
1-1971846-2




1-1971895-2
1-1971896-2




1-1971845-3
1-1971846-3




1-1971895-3
1-1971896-3




1-1971845-4
1-1971846-4




1-1971895-4
1-1971896-4




1-2298031-4




1-1971845-5
1-1971846-5




1-1971895-5
1-1971896-5




2-1971845-2




2-1971895-2
2-1971896-2




2-1971845-3
2-1971846-3




2-1971895-3
2-1971896-3




2-1971845-4
2-1971846-4




2-1971895-4
2-1971896-4




2-1971845-5
2-1971846-5




3-1971845-2
3-1971846-2
3-2304599-2
3-2461804-2




3-1971895-2
3-1971896-2




3-1971845-3
3-1971846-3




3-1971895-3
3-1971896-3




3-1971845-4
3-1971846-4




3-1971895-4
3-1971896-4




3-1971845-5
3-1971846-5




4-1971845-2




4-1971895-2
4-1971896-2




4-1971845-3
4-1971846-3



4-1971895-3
4-1971896-3




4-1971845-4
4-1971846-4




4-1971895-4
4-1971896-4




4-1971845-5
4-1971846-5




5-1971845-2
5-1971846-2




5-1971895-2
5-1971896-2
5-2461804-2




5-1971845-3
5-1971846-3




5-1971895-3




5-1971845-4
5-1971846-4




5-1971895-4
5-1971896-4




5-1971845-5
5-1971846-5



6-1971845-2




6-1971895-2
6-1971896-2




6-1971845-3
6-1971846-3




6-1971845-4
6-1971846-4




6-1971895-4
6-1971896-4




6-1971845-5
6-1971846-5



7-1971845-2




7-1971895-2




7-1971845-3
7-1971846-3




7-1971845-4
7-1971846-4



7-1971895-4
7-1971896-4




7-1971845-5
7-1971846-5



8-1971845-2




8-1971846-2




8-1971845-3
8-1971846-3




8-1971845-4
8-1971846-4




8-1971895-4




8-1971845-5
8-1971846-5




9-1971845-2
9-1971846-2




9-1971845-3
9-1971846-3




9-1971845-4
9-1971846-4
9-2304591-4





9-1971895-4
9-1971896-4
9-2461804-4




9-1971845-5
9-1971846-5




THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: WRP	21Jan2013	 TE Connectivity	
DIMENSIONS:		CHK: HAPYE	21Jan2013		
mm		APVD: YHM	21Jan2013	NAME: RAST 5 TAB HEADER ASSY DIN STYLE, TH, VERTICAL	
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		SIZE: A1	
		0 PLC ± 1 PLC ± 2 PLC ±0.25 3 PLC ± 4 PLC ± ANGLES ±2° FINISH		CAGE CODE: 00779	
MATERIAL: -		WEIGHT: -		DRAWING NO: 1971845	
-		Customer Drawing		RESTRICTED TO: -	
		SCALE: 8:1		SHEET: 4 OF 6	
				REV: B4	

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-




1971845-6

1971846-6




1971895-6

1971896-6




1971845-7

1971846-7




1971895-7

1971896-7




1971845-8

1971846-8




1-1971845-6

1-1971846-6




1-1971895-6

1-1971896-6




1-1971845-7

1-1971846-7



1-1971845-8

1-1971846-8




2-1971845-6

2-1971846-6




1-1971895-6

1-1971896-6




2-1971845-7

2-1971846-7




2-1971845-8

2-1971846-8




3-1971845-6

3-1971846-6




3-1971895-6

3-1971896-6




3-1971845-7

3-1971846-7



3-1971845-8

3-1971846-8




4-1971845-6

4-1971846-6




4-1971895-6

4-1971896-6




4-1971845-7

4-1971846-7



4-1971845-8

4-1971846-8




5-1971845-6

5-1971846-6



5-1971895-6

5-1971896-6




5-1971845-7

5-1971846-7



5-1971845-8

5-1971846-8




6-1971845-6

6-1971846-6



6-1971895-6


6-1971896-6



6-1971845-7


1971946-7

6-1971846-7



6-1971845-8

6-1971846-8




7-1971845-6

7-1971846-6




7-1971895-6

7-1971896-6




7-1971845-7

7-1971846-7



6-1971845-8

6-1971846-8




8-1971845-6

8-1971846-6



8-1971895-6

8-1971896-6




8-1971845-7

8-1971846-7



6-1971845-8

6-1971846-8




9-1971845-6

9-1971846-6



9-1971895-6

9-1971896-6




9-1971845-7



9-1971846-7



6-1971845-8


6-1971846-8



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN WRP	21Jan2013	 TE Connectivity	
DIMENSIONS:		CHK HAPYE	21Jan2013		
mm		APVD YHM	21Jan2013	NAME RAST 5 TAB HEADER ASSY DIN STYLE, TH, VERTICAL	
		PRODUCT SPEC		SIZE	
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CAGE CODE	
		0 PLC	±"	DRAWING NO	
		1 PLC	±"	RESTRICTED TO	
		2 PLC	±0.25	A1	
		3 PLC	±"	00779	
		4 PLC	±"	©=1971845	
		ANGLES	±2°	SCALE	
		FINISH	-	8:1	
MATERIAL		WEIGHT	-	SHEET	
		Customer Drawing	-	5 of 6	
				REV	
				B4	


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

FOR ANY KEYING CONFIGURATION, THERE ARE EIGHT COLORS AVAILABLE, BESIDES THE NATURAL COLOR, THERE ARE OTHER SEVEN COLORS, INCLUDE: YELLOW, BLUE, GREY, PURPLE, RED, GREEN, BLACK. THE WHITE VERSION IS PRELIMINARY. THE P/N OF THE COLOR CONNECTOR ARE BASED ON THE NATURAL CONNECTOR, THE PREFIX AND POSTFIX ARE THE SAME FOR THE SAME KEYING CONFIGURATION, BUT THE BASE NUMBERS ARE DIFFERENT ACCORDING TO DIFFERENT COLOR.THE FOLLOWING SHOWS WHAT'S THE P/N FOR COLOR CONNECTOR




COLOR	PART NUMBER OF THE CONNECTOR					COMMENTS
	<div><div>9</div><div>10</div></div> <div>(SPECIAL P/N: 2-1971895-4, 2-1971845-6, 6-1971845-5, 5-1971845-8 AND 2-1971895-5 ARE WITH BRIGHT TIN)</div>	WITH AG PLATING CONTACT				
NATURAL	#-1971845-#	#-1971895-#	#-1971846-#	#-1971896-#	#-2461804-# <div><div>13</div></div>	THE DETAIL P/N FOR DIFFERENT KEYING SEE SHEET 2-5
RED	#-1971946-#	#-1971948-#	#-1971947-#	#-1971949-#	/	THE PREFIX AND POSTFIX ARE THE SAME WITH THE P/N OF THE NATURAL CONNECTOR FOR THE SAME KEYING , POLARIZATION, LATCH WINDOW CONFIGURATION. JUST THE BASE NUMBERS ARE DIFFERENT BASED ON DIFFERENT COLOR. # CAN BE THE NUMBER FROM 0 TO 9. BUT THERE ARE TWO EXEMPTION PART NUMBERS. 1971954-5 (BLUE) AND 1971946-7 (RED)
BLUE	#-1971954-#	#-1971956-#	#-1971955-#	#-1971957-#	/	
YELLOW	#-2232008-#	#-2232010-#	#-2232009-#	#-2232011-#	/	
BALCK	#-2232000-#	#-2232002-#	#-2232001-#	#-2232003-#	/	
GREY	#-2232016-#	#-2232018-#	#-2232017-#	#-2232019-#	/	
GREEN	#-1971962-#	#-1971964-#	#-1971963-#	#-1971965-#	/	
PURPLE	#-2232024-#	#-2232026-#	#-2232025-#	#-2232027-#	/	
WHITE	#-2232289-#	#-2232291-#	#-2232290-#	#-2232292-#	/	

THERE ARE TWO EXEMPTION FOR COLOR PART NUMBERS



FOR EXAMPLE,IF A CONNECTOR WITH THE CONFIGURATION AS BELOW, AND WITH MATT TIN PLATING CONTACT, IN THE SHEET 4, WE CAN FIND THE RELATED CONNECTOR P/N WITH NATURAL COLOR IS 1-1971845-4, THEN WE CAN LOOK IN THE ABOVE TABLE TO FIND THE CONNECTOR P/N WITH RED COLOR IS 1-1971946-3



COLOR	PART NUMBER OF THE CONNECTOR		COMMENTS
	WITH BRIGHT TIN PLATING CONTACT		
NATURAL	#-2232906-#	#-2232907-#	THE KEYING , POLARIZATION AND LATCH WINDOW CONFIGURATION ARE SAME AS THE MATT TIN CONNECTOR WITH THE SAME PREFIX AND POSTFIX FOR EACH COLOR. FOR EXAMPLE: 2232906-4 AND 1971845-4 HAVE SAME KEYING , POLARIZATION AND LATCH WINDOW CONFIGURATION. 2232907-4 AND 1971895-4 HAVE SAME KEYING , POLARIZATION AND LATCH WINDOW CONFIGURATION. THE DETAIL KEYING , POLARIZATION AND LATCH WINDOW CONFIGURATION FOR EACH P/N, PLEASE SEE SHEET 2-5
RED	#-2232908-#	#-2232909-#	
BLUE	#-2232910-#	#-2232911-#	
YELLOW	#-2232912-#	#-2232913-#	
BALCK	#-2232914-#	#-2232915-#	
GREY	#-2232916-#	#-2232917-#	
GREEN	#-2232918-#	#-2232919-#	
PURPLE	#-2232920-#	#-2232921-#	
WHITE	#-2232922-#	#-2232923-#	