






P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	FORMAL RELEASE	13OCT2020	A.L	H.L
	A1	PER PCN-22-157376	11NOV2022	MC	HL
	B	ADD NEW PN	31JAN2023	M.C	H.L
	B1	UPDATE CAP BULGE FEATURE	2023/09/12	M.C	H.L






SECT. F-F
(SCALE 2:1)
ROTATED 90° CW

B	30u"	2369315-2
	8u"	2369315-1
	MATING ZONE PRECIOUS PLATING THICKNESS	P/N






THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Art Lin 24FEB2020	 TE Connectivity		
		CHK HOPE LU 26FEB2020			
		APVD HOPE LU 26FEB2020	NAME 4H RECEPTACLE ASSY 440POS		
DIMENSIONS: mm		PRODUCT SPEC 108-32658			
		APPLICATION SPEC 114-115003			
		WEIGHT -			
MATERIAL -		FINISH -	SIZE A3	CAGE CODE 00779	DRAWING NO. 2369315
SEE NOTE 1		SEE NOTE 2	RESTRICTED TO -		
		CUSTOMER DRAWING	SCALE 1:1	SHEET 1 OF 4	REV B1

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Art Lin 24FEB2020		<div>TE Connectivity</div>									
		CHK HOPE LU 26FEB2020											
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.5 1 PLC ±0.3 2 PLC ±0.15 3 PLC ±0.050 4 PLC ±0.0250 ANGLES ±3°		APVD HOPE LU 26FEB2020		NAME 4H RECEPTACLE ASSY 440POS							
	PRODUCT SPEC 108-32658												
	APPLICATION SPEC 114-115003												
	WEIGHT -												
	SIZE A3												
MATERIAL -		FINISH -		CAGE CODE 00779		DRAWING NO C-2369315		RESTRICTED TO -					
SEE NOTE 1		SEE NOTE 2		CUSTOMER DRAWING				SCALE 1:1		SHEET 2 OF 4		REV B1	

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




SECTION S-S
SCALE 8:1
(SIGNAL CONTACTS)




SECTION G-G
SCALE 8:1
(GROUND CONTACTS)

NOTES:



- MATERIAL
HOUSING : HIGH TEMP THERMO PLASTIC UL94V-0
CONTACT : COPPER ALLOY
SOLDER PEG : COPPER ALLOY
- FINISH
UNDERPLATED : 1.27µm MIN. NICKEL ALL OVER
CONTACT MATING AREA : MEETS THE PERFORMANCE REQUIREMENTS OF TE CONNECTIVITY PRODUCT SPECIFICATION 108-32658.
SOLDER AREA : GOLD FLASH
- CAP COLOR IS BLACK.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	Art Lin	24FEB2020	 TE Connectivity		
		CHK	HOPE LU	26FEB2020			
		APVD	HOPE LU	26FEB2020			
		PRODUCT SPEC	108-32658				
		APPLICATION SPEC	114-115003		NAME 4H RECEPTACLE ASSY 440POS		
		WEIGHT	-		SIZE	CAGE CODE	DRAWING NO
					A3	00779	C-2369315
		CUSTOMER DRAWING			SCALE	1:1	SHEET 3 OF 4
							REV B1

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



SCALE 4:1
REFERENCE P.C. BOARD LAYOUT
G:Ground

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Art Lin 24FEB2020	 TE Connectivity			
		CHK HOPE LU 26FEB2020	NAME 4H RECEPTACLE ASSY 440POS			
		APVD HOPE LU 26FEB2020				
DIMENSIONS: mm		PRODUCT SPEC 108-32658	SIZE A3			
		APPLICATION SPEC 114-115003				
MATERIAL -		WEIGHT -	CAGE CODE 00779		DRAWING NO C-2369315	
SEE NOTE 1		CUSTOMER DRAWING		SCALE 1:1		SHEET 4 OF 4
SEE NOTE 2				REV B1		