

EVAL_AUDAMP25

MA5332 evaluation board



About this document

Scope and purpose

The EVAL_AUDAMP25 MA5332 evaluation board is a two-channel, 200 W/ch ($4\ \Omega$ at $\pm 36.5\text{ V}$; with heatsink) half-bridge class D audio power amplifier for Hi-Fi audio systems. This evaluation board demonstrates how to use MA5332 IC, implement protection circuits, and design an optimum PCB layout using Infineon integrated Class D IC. This reference design does not require additional heatsink or fan cooling for normal operation (one-eighth of continuous rated power). The reference design provides all the required housekeeping power supplies for ease of use. The two-channel design is scalable for power and the number of channels.

Applications

- AV receivers
- Home theater systems
- Mini component stereos
- Powered speakers
- Sub-woofers
- Musical instrument amplifiers
- Car audio amplifiers

Features

- Output power:
 - 200 W x 2 channels (10 percent THD+N, $4\ \Omega$ at $\pm 36.5\text{ V}$)
- Multiple protection features:
 - Over-Current Protection (OCP), high-side and low-side
 - Over-Voltage Protection (OVP)
 - Under-Voltage Protection (UVP), high-side and low-side
 - DC Protection(DCP)
 - Over-Temperature Protection (OTP)
- PWM modulator:
 - Self-oscillating half-bridge topology with optional clock synchronization

Table of contents

About this document.....	1
Table of contents.....	2
1 Specifications	3
2 EVAL_AUDAMP25 overview.....	4
3 Set-up guide	5
3.1 Typical connections	5
4 Audio analyzer set-up	6
5 Operating the evaluation board	7
5.1 Test set-up	7
5.2 Power-up sequence.....	7
5.3 Audio functionality tests	7
5.4 External clock function	7
5.5 Power-down sequence	7
6 Audio performance.....	9
6.1 Power vs. THD+N	9
6.2 Frequency response	9
6.3 Noise floor.....	10
6.4 Noise floor with 1 V _{RMS} output	10
7 Efficiency	11
8 Thermal information	12
8.1.1 Peak power duration thermal information.....	12
8.1.2 Heatsink installation.....	16
9 Schematic	17
10 PCB.....	21
10.1 PCB specification.....	21
10.2 PCB layout	22
11 Bill of Materials (BOM)	25
Revision history.....	31

1 Specifications

Table 1 General test conditions

Condition		Notes/conditions
Supply voltages	$\pm 22 \text{ V} \sim \pm 40 \text{ V}$	Bipolar power supply
Rated load impedance	2 to 6 Ω	Resistive load
Self-oscillating frequency	400 kHz	No input signal, adjustable
Voltage gain	28 dB	1Vrms input yields rated power

Table 2 Electrical data

Data	Typical	Notes/conditions
Infineon devices	MA5332 integrated class D IC	
Modulator	Self-oscillating, second-order sigma-delta modulation, analog input	
Output power CH1 to 2: (1 percent THD+N)	150 W	1 kHz, $RL = 4 \Omega$
Output power CH1 to 2: (10 percent THD+N)	200 W	1 kHz, $RL = 4 \Omega$
Rated load impedance	2 to 6 Ω	Resistive load
Idling supply current	+55 mA	No input signal $\pm 36.5 \text{ V}$
	-80 mA	
Residual noise	170 μV	Filter: A-weighting(12017), 20 kHz SPCL Gain setting: 28dB
Channel efficiency	96 percent	Single-channel driven, 200 W, class D stage

2 EVAL_AUDAMP25 overview

The EVAL_AUDAMP25 features a two-channel self-oscillating type PWM modulator for the lowest component count, highest performance and robust design. This topology represents an analog version of a second-order sigma-delta modulation, having a class D switching stage inside the loop. The benefit of the sigma-delta modulation, in comparison to the carrier-signal based modulation, is that all the error in the audible frequency range is shifted to the inaudible upper-frequency range by nature of its operation. Also, sigma-delta modulation enables the designer to apply sufficient error correction.

The EVAL_AUDAMP25 self-oscillating topology consists of the following essential functional blocks:

- Front-end integrator
- PWM comparator
- Level shifters
- Integrated gate drivers and MOSFETs
- Output LPF




Figure 1 Simplified block diagram of class D amplifier

3 Set-up guide

3.1 Typical connections




Figure 2 Typical connection connector description

Table 3 Connector description

CH1 IN	J6	Analog input for CH1
CH2 IN	J5	Analog input for CH2
POWER	J7	Positive and negative supply (+B/-B)
CH1 OUT	J3	Output for CH1
CH2 OUT	J4	Output for CH2
EXT CLK	J8	External clock sync
DCP OUT	J9	DC protection relay output

4 Audio analyzer set-up




Figure 3 Audio analyzer connection

5 Operating the evaluation board

5.1 Test set-up

1. Connect $4\ \Omega$ 250 W dummy loads to output connectors (J3 and J4 as shown in Figure 2) and parallel it with the input of the Audio Precision (AP) analyzer.
2. Connect the Audio Signal Generator (ASG) to J6 and J5 for CH1 and CH2 respectively (AP).
3. Set up the dual power supply with voltages of ± 36.5 V; set current limit to 8 A.
4. Turn off the dual power supply before connecting to “on” of the Unit Under Test (UUT).
5. Set switch S1 to the middle position (self-oscillating).
6. Set volume level knob R108 fully counter-clockwise (minimum volume).
7. Connect the dual power supply to J7, as shown in Figure 2 or Figure 3

5.2 Power-up sequence

8. Turn on the dual power supply. The $\pm B$ supplies must be applied and removed at the same time.
9. Red LED (protection) should turn on almost immediately and turn off after about 3 s.
10. Green LED (normal) then turns on after the red LED is extinguished and should stay on.
11. Quiescent current for the positive supply should be $55\text{ mA} \pm 10\text{ mA}$ at ± 36.5 V.
12. Quiescent current for the negative supply should be $80\text{ mA} \pm 10\text{ mA}$ at ± 36.5 V.
13. Push S3 switch (trip and reset push-button) to restart the sequence of LED indicators, which should be the same as noted above in steps 9 to 10.

5.3 Audio functionality tests

1. With AP no filter (more than 500 kHz), monitor the channel’s switching frequency on the AP’s analog analyzer.
2. Set S1 to “self” (self-oscillating) position.
3. Set the AP’s analog analyzer to 20 kHz AES17 filter.
4. Connect the audio signal from the AP to J6 and J5.
5. Apply 1 V_{RMS} at 1 kHz sinusoidal signal from the ASG.
6. Turn control volume up (R108 clockwise) to obtain an output reading of 150 W ($4\ \Omega$ load).
7. Sweep the audio signal voltage from $15\text{ mV}_{\text{RMS}}$ to $1.5\text{ V}_{\text{RMS}}$.
8. Run the AP test as shown in Figures 4 to 11, below.

5.4 External clock function

1. With AP no filter (more than 500 kHz), monitor the channel’s switching frequency on the AP’s analog analyzer.
2. Set S1 to “self” (self-oscillating) position.
3. Set S1 to “Ext” (external clock) position to enable the onboard clock oscillator.
4. Connect the external clock signal generator output to J8.
5. Set the AP’s analog analyzer to 20 kHz AES17 filter
6. Connect the audio signal from the AP to J6 and J5.
7. Sweep the audio signal voltage from $15\text{ mV}_{\text{RMS}}$ to $1.5\text{ V}_{\text{RMS}}$.

5.5 Power-down sequence

14. Turn off \pm power supply at the same time.

15. All LEDs turn off when housekeeping power supplies are off.

6 Audio performance

6.1 Power vs. THD+N

Test conditions:

$$V_{bus} = \pm 36.5 \text{ V}$$

Input signal = 1 kHz

Load impedance = 4 Ω

$$F_{PWM} = 400 \text{ kHz}$$




Figure 4 Power vs. THD+N 4 Ω load

6.2 Frequency response

Test conditions:

$$V_{bus} = \pm 36.5 \text{ V}$$

Output power = 1 W

Load impedance = 4 Ω

$$F_{PWM} = 400 \text{ kHz}$$




Figure 5 Frequency response 4 Ω load

EVAL_AUDAMP25

MA5332 evaluation board

200 W+200 W class D amplifier

6.3 Noise floor

Test conditions:

$$V_{bus} = \pm 36.5 \text{ V}$$

No input signal

Load impedance = 4Ω

$$F_{PWM} = 400 \text{ kHz}$$




Figure 6 **Noise floor 4Ω load**

6.4 Noise floor with 1 V_{RMS} output

Test conditions:

$$V_{bus} = \pm 36.5 \text{ V}$$

$$\text{Output} = 1 \text{ V}_{\text{RMS}} \text{ at } 1 \text{ kHz}$$

Load impedance = 4Ω

$$F_{PWM} = 400 \text{ kHz}$$




Figure 7 **Noise floor with 1 V_{RMS} output 4Ω load**

7 Efficiency

Test conditions:

$$V_{bus} = \pm 36.5 \text{ V}$$

$$\text{Output} = 1 \text{ V}_{\text{RMS}} \text{ at } 1 \text{ kHz}$$

$$\text{Load impedance} = 4 \Omega$$

$$F_{\text{PWM}} = 400 \text{ kHz}$$




Figure 8 EVAL_AUDAMP25 4 Ω load stereo, ±B supply = ±36.5 V

8 Thermal information

8.1 Peak power duration thermal information

Test conditions:

Input signal = 1 kHz

Both channels driven

F_{PWM} = 400 kHz

Table 4 Peak power with heatsink

Load (Ω)	$\pm V_{bus}$ (V)	10 percent THD+N power (W)	Duration
6	40	160	More than 1 minute no thermal shutdown
4	36.5	200	
3	31.5	190	
2	23	150	






Figure 9 Peak power $P_{out} = 164$ W with 6Ω load ± 40 V

Note: Maximum temperature 68.9°C at 1 minute.

**Figure 10 Peak power $P_{out} = 200 \text{ W}$ with 4Ω load $\pm 36.5 \text{ V}$**

Note: Maximum temperature 105°C at 1 minute.

**Figure 11 Peak power $P_{out} = 194 \text{ W}$ with 3Ω load $\pm 31.5 \text{ V}$**

Note: Maximum temperature 130°C at 1 minute.




Figure 12 Peak power $P_{out} = 150 \text{ W}$ with 2Ω load $\pm 23 \text{ V}$

Note: Maximum temperature 154°C at 1 minute.

Table 5 Peak power without heatsink

Load (Ω)	$\pm V_{bus}$ (V)	10 percent THD+N power (W)	Duration
4	26.5	100	More than 1 minute no thermal shutdown
2	13.7	50	




Figure 13 Peak power $P_{out} = 102 \text{ W}$ with 4Ω load $\pm 26.5 \text{ V}$

Note: Maximum temperature 146.7°C at 1 minute.




Figure 14 Peak power $P_{out} = 55$ W with 2Ω load ± 13.7 V

Note: Maximum temperature 142.8°C at 1 minute.

Table 6 1/8 power test with heatsink

Load (Ω)	$\pm V_{bus}$ (V)	Max. T-case (°C)	1/8 power (W)	Duration (minutes)
6	40	71.6	16.5	30
4	36.5	85.6	19.8	30
3	31.5	87.2	19.7	30
2	23	84.8	15	30

Table 7 1/8 power test without heatsink

Load (Ω)	$\pm V_{bus}$ (V)	Max. T-case (°C)	1/8 power (W)	Duration (minutes)
4	22.7	84.6	7.12	30
2	13.7	76.1	4.88	30

8.2 Heatsink installation

Heatsink: V8818V

Thermal pad: BER161-ND



Figure 15 Heatsink installation

9 Schematic




Figure 16 Motherboard schematic 1

EVAL_AUDAMP25

MA5332 evaluation board

200 W+200 W class D amplifier

Class D, Mother Board Clock and House Keeping Schematic





Figure 17 **Motherboard schematic 2**

EVAL_AUDAMP25
MA5332 evaluation board
200 W+200 W class D amplifier
Class D, Mother Board Control Volume and Power Supplies Schematic

Figure 18 Motherboard schematic 3

EVAL_AUDAMP25

MA5332 evaluation board

200 W+200 W class D amplifier

Class D, Daughter Board MA53xx Module Schematic

AMP25 SCH_DB_53xxRev2.0




Figure 19 Daughterboard schematic

10 PCB

10.1 PCB specification

1. Two-layer SMT PCB with through-holes
2. 1/16 thickness
3. 2/0 oz. Cu
4. FR4 material
5. 20 mil lines and spaces
6. Solder mask to be green enamel EMP110 DBG (CARAPACE) or Enthone endplate DSR-3241 or equivalent
7. Silkscreen to be white epoxy non-conductive per IPC-RB 276 standard
8. All exposed copper must be finished with tin-lead Sn 60 or 63 for 100 μ inches thick
9. Tolerance of PCB size shall be 0.010 to 0.000 inches
10. Tolerance of all holes is/- 0.003 inches
11. PCB acceptance criteria as defined for class II PCB standards

10.2 PCB layout




Figure 20 **Motherboard top view**




Figure 21 Motherboard bottom view




Figure 22 **Daughterboard top view**




Figure 23 Daughterboard bottom view

11 Bill of Materials (BOM)

Table 8 Motherboard BOM

No.	Part number	Designator	Description	Quantity	Vendor
1	565-1106-ND	C1, C5, C6, C101, C102, C103, C104, C105, C106, C115	CAP ALUM 10UF 20% 50V RADIAL	10	Digikey
2	565-1103-ND	C2, C3	CAP ALUM 2.2UF 20% 50V RADIAL	2	Digikey
3	478-1281-1-ND	C15, C16	CAP CER 33PF 100V C0G/NP0 0805	2	Digikey
4	338-2598-ND	C17, C18	CAP MICA 150PF 5% 500V RADIAL	2	Digikey
5	1276-3141-1-ND	C19, C20	CAP CER 2.2UF 16V X7R 1206	2	Digikey
6	732-8127-1-ND	C119	CAP CER 0.1UF 50V X7R 1206	1	Digikey
7	495-1315-ND	C23, C24	CAP FILM 0.47UF 5% 400VDC RADIAL	2	Digikey
8	495-1311-ND	C25, C26	CAP FILM 0.1UF 5% 400VDC RADIAL	2	Digikey
9	565-1114-ND	C31, C32	CAP ALUM 1000UF 20% 50V RADIAL	2	Digikey
10	490-14466-1-ND	C107, C109	CAP CER 4.7UF 16V X7R 0805	2	Digikey
11	732-8074-1-ND	C108, C114	CAP CER 10000PF 50V X7R 0805	2	Digikey
12	732-7858-1-ND	C110	CAP CER 1000PF 50V C0G/NP0 0805	1	Digikey
13	732-7852-1-ND	C111, C113	CAP CER 100PF 50V C0G/NP0 0805	2	Digikey
14	478-1372-1-ND	C112	CAP CER 1200PF 50V X7R 0805	1	Digikey
15	565-1037-ND	C116, C117	CAP ALUM 100UF 20% 16V RADIAL	2	Digikey
16	1N4148W-FDICT-ND	D103, D104, D105, D106, D107	DIODE GEN PURP 100V 300MA SOD123	5	Digikey
17	MURA120T3GOSCT-ND	D5, D6, D7, D8	DIODE GEN PURP 200V 2A SMA	4	Digikey
18	RB161MM-20CT-ND	D101, D102	DIODE SCHOTTKY 25V 1A PMDU	2	Digikey
19	294-1086-ND	HS1	HEATSINK HORZ SIX BLACK TO-220	1	Digikey

EVAL_AUDAMP25**MA5332 evaluation board****200 W+200 W class D amplifier**

No.	Part number	Designator	Description	Quantity	Vendor
20	A32934-ND	J1A, J1B	CONN RCPT 6POS 0.1 GOLD PCB	2	Digikey
18	478-1281-1-ND	C40, C58	Ceramic capacitor 33 pF 5 percent 100 V NP0 0805	2	Digikey
19	445-1432-1-ND	C41, C43, C59, C61	Ceramic capacitor 3.3 µF 50 V X7R 20 percent 1210	4	Digikey
20	565-1161-ND	C45, C46, C47, C48	Capacitor 1200 µF 100 V elect. SMG RAD	4	Digikey
21	PCC1812CT-ND	C62, C63, C68, C78	Capacitor .1 µF 16 V ceramic X7R 0805	4	Digikey
21	A32935-ND	J2A, J2B	CONN RCPT 8POS 0.1 GOLD PCB	2	Digikey
22	277-1271-ND	J3, J4	TERM BLK 2P SIDE ENT 9.53MM PCB	2	Digikey or Mouser
23	CP-1422-ND	J5, J6	CONN RCA JACK MONO 3.2MM R/A	2	Digikey
24	277-1272-ND	J7	TERM BLK 3P SIDE ENT 9.53MM PCB	1	Digikey or Mouser
25	A32248-ND	J8	CONN BNC JACK R/A 50 OHM PCB	1	Digikey
26	ED1567	J9	TERM BLK 2POS SIDE ENT 7.5MM PCB	1	Digikey
27	Sagami 7G17A-	L1, L2	Class D inductor, 22uH	2	Inductors, Inc
	1D17A-220M				ICE Components, Inc.
	CPD1715F-220				CODACA
28	160-1143-ND	NORMAL	LED GREEN CLEAR T-1 T/H	1	Digikey
29	PVT412PBF-ND	P1	SSR RELAY SPST-NO 140MA 0-400V	1	Digikey
30	160-1140-ND	PROTECTION	LED RED CLEAR T-1 T/H	1	Digikey
31	FCX491CT-ND	Q101	TRANS NPN 60V 1A SOT-89	1	Digikey
32	MMBT5401-FDICT-ND	Q102, Q104, Q106, Q111	TRANS PNP 150V 0.6A SMD SOT23-3	4	Digikey
33	MMBT5551-FDICT-ND	Q103, Q105, Q107, Q108, Q109, Q110, Q112	TRANS NPN 160V 0.6A SOT23-3	7	Digikey
34	P100KACT-ND	R1, R2, R57, R58, R110, R126	RES SMD 100K OHM 5% 1/8W 0805	6	Digikey
35	P100ACT-ND	R3, R4, R114	RES SMD 100 OHM 5% 1/8W 0805	3	Digikey

EVAL_AUDAMP25**MA5332 evaluation board****200 W+200 W class D amplifier**

No.	Part number	Designator	Description	Quantity	Vendor
36	P4.7ECT-ND	R5, R6	RES SMD 4.7 OHM 5% 1/4W 1206	2	Digikey
37	P47ACT-ND	R7, R8, R10, R11, R27, R28, R115, R116, R117	RES SMD 47 OHM 5% 1/8W 0805	9	Digikey
38	P10ACT-ND	R9, R105	RES SMD 10 OHM 5% 1/8W 0805	2	Digikey
39	P3.3KDACT-ND	R13, R14	RES 3.3K OHM 0.1% 1/8W 0805	2	Digikey
40	P22KACT-ND	R17, R18	RES SMD 22K OHM 5% 1/8W 0805	2	Digikey
41	P47KACT-ND	R106, R121, R122, R130, R131, R132, R133, R137, R139, R141, R145, R146, R147, R149, R150, R151	RES SMD 47K OHM 5% 1/8W 0805	16	Digikey
42	P0.0ACT-ND	R55, R56	RES SMD 0 OHM JUMPER 1/8W 0805	2	Digikey
43	P470ACT-ND	R39, R40	RES SMD 470 OHM 5% 1/8W 0805	2	Digikey
44	P100ECT-ND	R120	RES SMD 100 OHM 5% 1/4W 1206	1	Digikey
45	TNPW251247K0BEEG-ND	R31, R32	RES 47K OHM 0.1% 1/2W 2512	2	Digikey
	CPD3119-220M	Substitute			CODACA
46	YAG2331CT-ND	R33, R34	RES SMD 1K OHM 0.1% 1/4W 1206	2	Digikey
47	P1.0KACT-ND	R109, R118, R119, R123	RES SMD 1K OHM 5% 1/8W 0805	4	Digikey
48	PT10XCT	R47, R48	RES SMD 10 OHM 5% 1W 2512	2	Digikey
49	P2.2KECT-ND	R49, R50	RES SMD 2.2K OHM 5% 1/4W 1206	2	Digikey
50	PT47XCT-ND	R101, R102, R103, R104	RES SMD 47 OHM 5% 1W 2512	4	Digikey
51	P4.7KACT-ND	R107, R138	RES SMD 4.7K OHM 5% 1/8W 0805	2	Digikey
52	PDB12-H4251-103BF	R108	POT 10K OHM 0.08W CARBON LINEAR	1	Digikey
53	P10KACT-ND	R111, R124, R125, R134, R140, R143, R144, R148	RES SMD 10K OHM 5% 1/8W 0805	8	Digikey
54	P820ACT-ND	R112	RES SMD 820 OHM 5% 1/8W 0805	1	Digikey

EVAL_AUDAMP25**MA5332 evaluation board****200 W+200 W class D amplifier**

No.	Part number	Designator	Description	Quantity	Vendor
55	3362H-502LF-ND	R113	TRIMMER 5K OHM 0.5W PC PIN TOP	1	Digikey
56	P6.8KECT-ND	R127, R128, R129	RES SMD 6.8K OHM 5% 1/4W 1206	3	Digikey
57	P82KACT-ND	R135	RES SMD 82K OHM 5% 1/8W 0805	1	Digikey
58	P68KACT-ND	R136, R142	RES SMD 68K OHM 5% 1/8W 0805	2	Digikey
59	RMCF0402ZT0R00CT-ND	Rn	RES 0 OHM JUMPER 1/16W 0402	1	Digikey
60	P8010S-ND	S1	SWITCH TACTILE SPST-NO 0.02A 15V	1	Digikey
61	EG1908-ND	S2	SWITCH SLIDE DPDT 100MA 12V	1	Digikey
62	EG1944-ND	S3	SWITCH SLIDE DP3T 200MA 30V	1	Digikey
63	296-11599-1-ND	U3	SN74LVC1G04DBVR	1	Digikey
64	296-13261-1-ND	U4	SN74LVC2G04DBVR	1	Digikey
65	73C8016 or 72J5420	U_1	IC, DIGITAL VOLUME CONTROL, SOIC-16	1	Newark
66	3310-IR01	U_2	CS3310 Stand-alone Controller	1	*Tachyonix
67	296-1194-1-ND	U_3	IC INVERTER SCHMITT 6CH 14SOIC	1	Digikey
68	MC78M05CTGOS-ND	U_4	IC REG LINEAR 5V 500MA TO220AB	1	Digikey
69	LM79M05CT-ND	U_5	IC REG LINEAR -5V 500MA TO220-3	1	Digikey
70	497-6039-5-ND	U_6	IC REG LINEAR 10V 2A TO220AB	1	Digikey
71	BZT52C15-FDICT-ND	Z103	DIODE ZENER 15V 500MW SOD123	1	Digikey
72	1SMA5917BT3GOSCT-ND	Z101, Z102	DIODE ZENER 4.7V 1.5W SMA	2	Digikey
73	BZT52C24-FDICT-ND	Z104	DIODE ZENER 24V 500MW SOD123	1	Digikey
74	MMSZ5260BT1GOSCT-ND	Z105	DIODE ZENER 43V 500MW SOD123	1	Digikey
75	BZT52C18-FDICT-ND	Z106	DIODE ZENER 18V 500MW SOD123	1	Digikey
76	MMSZ20T1GOSCT-ND	Z107	ON Semiconductor DIODE ZENER 20V 500MW SOD123	1	Digikey
77	BZT52C8V2-FDICT-ND	Z108, Z109	DIODE ZENER 8.2V 500MW SOD123	2	Digikey

EVAL_AUDAMP25**MA5332 evaluation board****200 W+200 W class D amplifier**

No.	Part number	Designator	Description	Quantity	Vendor
78	CR-BA-7C6-180D	Volume Knob	Round knob with Indicator Line	1	Newark
79	82K6096	Thermalloy TO-220 mounting kit with screw	MOUNTING KIT TO-220	3	Newark
80	8401K-ND	1/2" Standoffs 4-40	HEX STANDOFF #4-40 ALUMINUM 1/2"	5	Digikey
81	H724-ND	4-40 Nut	NUT HEX 4-40 STAINLESS STEEL	5	Digikey
82	H729-ND	No. 4 Lock Washer	WASHER LOCK INTERNAL #4 SS	5	Digikey

Note: * Tachyonix Corporation, 14 Gonaka Jimokuji Jimokuji-cho, Ama-gun Aichi, JAPAN 490-1111
<http://www.tachyonix.co.jp> email: info@tachyonix.co.jp

Table 9 Daughterboard bill of materials

No.	Part number	Designator	Description	Quantity	Vendor
1	490-1500-1-ND	C1, C2, C5, C6	CAP CER 2200PF 50V 10% X7R 0603	4	Digikey
2	587-2668-1-ND	C3, C4	CAP CER 10UF 10V X7R 10% 0805	2	Digikey
3	399-1082-1-ND	C7, C8	CAP 1000PF 50V CERAMICX7R 0603	2	Digikey
4	490-5519-1-ND	C9, C10	CAP CER 10UF 16V X6S 0805	2	Digikey
5	445-1418-1-ND	C11, C12, C17	CAP CER .10UF 100V X7R 10% 0805	3	Digikey
6	732-12081-1-ND	C13, C14, C15, C16	CAP CER 0.1UF 200V X7R 1206	4	Digikey
7	RF071MM2SCT-ND	D1, D2, D3, D4, D5	DIODE GEN PURP 200V 700MA PMDU	5	Digikey
8	160-1183-1-ND	DS1(CLIP)	LED GREEN CLEAR 0603 SMD	1	Digikey
9	160-1181-1-ND	DS2(FAULT)	LED RED CLEAR 0603 SMD	1	Digikey
10	160-1646-1-ND	DS3(ON)	LED 468NM BLUE CLEAR 0603 SMD	1	Digikey
11	MA5332	IC1	2 CH PowIRaudio integrated Class D IC	1	Infineon
12	A26568-ND	J1A, J1B	CONN HEADER VERT 6POS .100 30AU	2	Digikey
13	A26570-ND	J2A, J2B	CONN HEADER VERT .100 8POS 30AU	2	Digikey

EVAL_AUDAMP25**MA5332 evaluation board****200 W+200 W class D amplifier**

No.	Part number	Designator	Description	Quantity	Vendor
14	RMCF0603JT10R0CT-ND	R1, R2	RES 10 OHM 1/10W 5% 0603 SMD	2	Digikey
15	RMCF0603FT2K70CT-ND	R3, R4	RES 2.7K OHM 1/10W 1% 0603 SMD	2	Digikey
16	RMCF0603JT100RCT-ND	R5	RES 100 OHM 1/10W 5% 0603 SMD	1	Digikey
17	311-620GRCT-ND	R6, R7	RES 620 OHM 1/10W 5% 0603 SMD	2	Digikey
18	RHM10KGCT-ND	R8, R9, R17	RES 10K OHM 1/10W 5% 0603 SMD	3	Digikey
19	RMCF0603JT4R70CT-ND	R10, R11, R12	RES TF 1/10W 4.7 OHM 5% 0603	3	Digikey
20	RHM33KGCT-ND	R13, R14	RES 33K OHM 1/10W 5% 0603 SMD	2	Digikey
21	311-1.0ARCT-ND	R15, R16	RES 1.0 OHM 1/8W 5% 0805 SMD	2	Digikey
22*	V8818V	Heatsink	HEATSINK ALUM ANOD	1	Digikey
23	BER161-ND	Thermal pad	Thermal pad	1/8	Digikey
24	screws		depends on holes on the heatsink	2	

Note: *Heatsink is an option for AMP25 to deliver higher power

Revision history

Document version	Date of release	Description of changes
V 1.0	2020-11-20	Initial release
V 1.1	2023-07-12	Changed value of R6, R7 on daughter card schematic to match BOM

Trademarks

All referenced product or service names and trademarks are the property of their respective owners.

Edition 2020-11-20

Published by

**Infineon Technologies AG
81726 Munich, Germany**

**© 2023 Infineon Technologies AG.
All Rights Reserved.**

Do you have a question about this document?

Email: erratum@infineon.com

Document reference

UM_1904_PL88_1910_133036

IMPORTANT NOTICE

The information given in this document shall in no event be regarded as a guarantee of conditions or characteristics ("Beschaffenheitsgarantie").

With respect to any examples, hints or any typical values stated herein and/or any information regarding the application of the product, Infineon Technologies hereby disclaims any and all warranties and liabilities of any kind, including without limitation warranties of non-infringement of intellectual property rights of any third party.

In addition, any information given in this document is subject to customer's compliance with its obligations stated in this document and any applicable legal requirements, norms and standards concerning customer's products and any use of the product of Infineon Technologies in customer's applications.

The data contained in this document is exclusively intended for technically trained staff. It is the responsibility of customer's technical departments to evaluate the suitability of the product for the intended application and the completeness of the product information given in this document with respect to such application.

For further information on the product, technology delivery terms and conditions and prices please contact your nearest Infineon Technologies office (www.infineon.com).

WARNINGS

Due to technical requirements products may contain dangerous substances. For information on the types in question please contact your nearest Infineon Technologies office.

Except as otherwise explicitly approved by Infineon Technologies in a written document signed by authorized representatives of Infineon Technologies, Infineon Technologies' products may not be used in any applications where a failure of the product or any consequences of the use thereof can reasonably be expected to result in personal injury.