

S-URTK/SP - Switching lock



0311155

<https://www.phoenixcontact.com/us/products/0311155>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Switching lock, length: 12 mm, width: 8.2 mm, height: 12 mm, color: white

Commercial data

Item number	0311155
Packing unit	1 pc
Minimum order quantity	50 pc
Sales key	BE19
Product key	BE1ZWX
Catalog page	Page 240 (C-1-2019)
GTIN	4017918001346
Weight per piece (including packing)	0.46 g
Weight per piece (excluding packing)	0.422 g
Customs tariff number	85389099
Country of origin	DE

S-URTK/SP - Switching lock



0311155

<https://www.phoenixcontact.com/us/products/0311155>

Technical data

Product properties

Product type	Switching lock
--------------	----------------

Dimensions

Width	8.2 mm
Height	12 mm
Length	12 mm

Material specifications

Color	white
Material	PA
Flammability rating according to UL 94	V0
Insulating material	PA
Relative insulation material temperature index (Elec., UL 746 B)	125 °C

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-60 °C ... 105 °C (max. short-term operating temperature RTI Elec.)
Ambient temperature (storage/transport)	-25 °C ... 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

S-URTK/SP - Switching lock



0311155

<https://www.phoenixcontact.com/us/products/0311155>

Approvals

🔗 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/0311155>



EAC

Approval ID: RU C-DE.BL08.B.00534

S-URTK/SP - Switching lock



0311155

<https://www.phoenixcontact.com/us/products/0311155>

Classifications

ECLASS

ECLASS-11.0	27141190
ECLASS-13.0	27141190
ECLASS-12.0	27141190

ETIM

ETIM 8.0	EC002848
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

S-URTK/SP - Switching lock



0311155

<https://www.phoenixcontact.com/us/products/0311155>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com