

SD-WMTB (70X10) - Carrier for conductor marking collar

0826530

<https://www.phoenixcontact.com/us/products/0826530>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Carrier for conductor marking collar, black, unlabeled, mounting type: Assembly with cable ties, cable diameter: > 16 mm, lettering field size: 70 x 10 mm

Your advantages

- Cable markers for marking cables and conductors with larger cross sections
- The printed individual markers are pushed onto the corresponding holders

Commercial data

Item number	0826530
Packing unit	1 pc
Minimum order quantity	100 pc
Sales key	BG12
Product key	BG231A
Catalog page	Page 245 (C-3-2019)
GTIN	4046356414500
Weight per piece (including packing)	0.79 g
Weight per piece (excluding packing)	0.751 g
Customs tariff number	39269097
Country of origin	SE

SD-WMTB (70X10) - Carrier for conductor marking collar



0826530

<https://www.phoenixcontact.com/us/products/0826530>

Technical data

Product properties

Product type	Marker carrier cable
Type	Marking strip/label

Dimensions

Width	10 mm
Length	70 mm

External dimensions

Outside diameter	> 16 mm ... 136 mm
------------------	--------------------

Material specifications

Color	black
Material	PVC

Cable/line

External cable diameter	> 16 mm
-------------------------	---------

Environmental and real-life conditions

UV resistance

Specification	ISO 4892-2:2013-03 (following)
Result	Test passed
Test duration	96 h

Testing in a condensation changing climate in the presence of sulfur dioxide

Specification	DIN 50018:2013-05
Result	Test passed
Climate level	AHT 1.0 S
Cycles	2

Salt spray test

Specification	DIN EN 60068-2-11:2000-02
Result	Test passed

Ambient conditions

Ambient temperature (operation)	-30 °C ... 70 °C
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 % (Storage in a dry and dark place in the original packaging is recommended)

Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
-----------------	-----------------------------

Mounting

SD-WMTB (70X10) - Carrier for conductor marking collar



0826530

<https://www.phoenixcontact.com/us/products/0826530>

Mounting type

Assembly with cable ties

SD-WMTB (70X10) - Carrier for conductor marking collar



0826530

<https://www.phoenixcontact.com/us/products/0826530>

Classifications

ECLASS

ECLASS-11.0	27281102
ECLASS-12.0	27281102
ECLASS-13.0	27281102

ETIM

ETIM 8.0	EC001530
----------	----------

UNSPSC

UNSPSC 21.0	39131500
-------------	----------

SD-WMTB (70X10) - Carrier for conductor marking collar



0826530

<https://www.phoenixcontact.com/us/products/0826530>

Accessories

SD-WMTBS (NEUTRAL) CC - Conductor marking collar

0826637

<https://www.phoenixcontact.com/us/products/0826637>



Conductor marking collar, yellow: without print, mounting type: slide-on, cable diameter: > 16 mm, lettering field size: 4.3 x 26 mm

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com