

US-WMT (30X4) - Cable marker



0828770

<https://www.phoenixcontact.com/us/products/0828770>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Cable marker, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 42



Your advantages

- The US-WMT ... UniSheet labeling range includes markers for conductor marking with marking collars from the PATG/PATO ... system
- Labeling service: Phoenix Contact can custom-label all UniSheet markers according to your requirements

Commercial data

Item number	0828770
Packing unit	1 pc
Minimum order quantity	10 pc
Sales key	BG09
Product key	BG2219
Catalog page	Page 213 (C-3-2019)
GTIN	4046356559850
Weight per piece (including packing)	12.15 g
Weight per piece (excluding packing)	9.528 g
Customs tariff number	39204910
Country of origin	DE

US-WMT (30X4) - Cable marker



0828770

<https://www.phoenixcontact.com/us/products/0828770>

Technical data

Product properties

Product type	Conductor marking
Marking	
Number of individual labels	42
Number of individual labels per row	14
Marking technology	
Device	5146464 THERMOMARK CARD
Ink ribbon	5146451 THERMOMARK CARD-US-MAG1 0801371 THERMOMARK-RIBBON 110-TC
Printability	Thermal transfer

Dimensions

Width	4.3 mm
Depth	0.5 mm
Length	30 mm
Material strength	0.50 mm

Material specifications

Color	white
Material	PVC
Flammability rating according to UL 94	V0
Components	Silicone-free

Cable/line

External cable diameter	1.5 mm ... 14 mm
-------------------------	------------------

Environmental and real-life conditions

Test for substances that would hinder coating with paint or varnish

Result	Test passed
--------	-------------

UV resistance

Specification	ISO 4892-2:2013-03 (following)
Result	Test passed
Test duration	96 h

Wipe resistance of inscriptions

Specification	DIN EN 61010-1 (VDE 0411-1):2011-07 DIN EN 62208 (VDE 0660-511):2012-06 (in parts)
---------------	---

Testing in a condensation changing climate in the presence of sulfur dioxide

Specification	DIN 50018:2013-05 (following)
---------------	-------------------------------

US-WMT (30X4) - Cable marker



0828770

<https://www.phoenixcontact.com/us/products/0828770>

Result	Test passed
Climate level	AHT 1.0 S
Cycles	2

Salt spray test

Specification	DIN EN 60068-2-11:2000-02
Result	Test passed

Ambient conditions

Ambient temperature (operation)	-30 °C ... 80 °C
Recommended storage conditions	10 ... 30 °C / 40 ... 70 % relative humidity. Storage in the original packaging is recommended prior to processing.
Recommended ambient temperature (storage/transport)	10 °C ... 30 °C
Recommended humidity (storage/transport)	40 % ... 70 %

Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
-----------------	-----------------------------

Mounting

Mounting type	slide-on
---------------	----------

US-WMT (30X4) - Cable marker



0828770

<https://www.phoenixcontact.com/us/products/0828770>

Classifications

ECLASS

ECLASS-11.0	27281106
ECLASS-12.0	27281106
ECLASS-13.0	27281106

ETIM

ETIM 8.0	EC001530
----------	----------

UNSPSC

UNSPSC 21.0	39131700
-------------	----------

US-WMT (30X4) - Cable marker

0828770

<https://www.phoenixcontact.com/us/products/0828770>



Accessories

BLUEMARK ID - Printer

1003334

<https://www.phoenixcontact.com/us/products/1003334>



Monochrome printer with UV LED technology and integrated "MARKING system app" identification software. 7" touch color display for printing plastic tags in UC, UCT, US, and UM format, as well as metal labels.

BLUEMARK ID COLOR - Printer

1002329

<https://www.phoenixcontact.com/us/products/1002329>



CMYK multicolor printer with UV LED technology, with integrated "MARKING system app" identification software, 7" touch color display for printing plastic tags in UC, UCT, and UM format, as well as metal labels.

US-WMT (30X4) - Cable marker

0828770

<https://www.phoenixcontact.com/us/products/0828770>



BLUEMARK CLED - Printer

5147999

<https://www.phoenixcontact.com/us/products/5147999>



Printers with LED-UV technology for printing plastic labels in UniCard format.

THERMOMARK PRIME - Thermal transfer printer

5148888

<https://www.phoenixcontact.com/us/products/5148888>



Mobile thermal transfer printer for card materials, including power supply unit, Euro/US power cable, and USB cable. User manual printed in German and English. Magazine for UCT-TM... sheets and magazine for US-... cards. One packing unit each UCT-TM 6, US-EMLP (85,6x54), ink ribbon cartridge = 70 m

US-WMT (30X4) - Cable marker

0828770

<https://www.phoenixcontact.com/us/products/0828770>



THERMOMARK CARD 2.0 - Thermal transfer printer

1085267

<https://www.phoenixcontact.com/us/products/1085267>



Thermal transfer printer for card materials, including Euro/US power cable and USB cable. User manual printed in German and English. Magazine for UCT-TM.. sheets and magazines for US-... cards. One packing unit each UCT-TM 6, US-EMLP (85,6x54), ink ribbon = 50 m

THERMOMARK CARD - Thermal transfer printer

5146464

<https://www.phoenixcontact.com/us/products/5146464>



Thermal transfer printer for cards

US-WMT (30X4) - Cable marker

0828770

<https://www.phoenixcontact.com/us/products/0828770>



PATG 1/30 - Conductor marker carrier

0822440

<https://www.phoenixcontact.com/us/products/0822440>



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 1.5 ... 2.5 mm, lettering field size: 30 x 4 mm

PATG 2/30 - Conductor marker carrier

0822453

<https://www.phoenixcontact.com/us/products/0822453>



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 2 ... 4 mm, lettering field size: 30 x 4 mm

US-WMT (30X4) - Cable marker

0828770

<https://www.phoenixcontact.com/us/products/0828770>



PATG 3/30 - Conductor marker carrier

0822466

<https://www.phoenixcontact.com/us/products/0822466>



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 4 ... 7 mm, lettering field size: 30 x 4 mm

PATG 4/30 - Conductor marker carrier

0822479

<https://www.phoenixcontact.com/us/products/0822479>



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 6 ... 10 mm, lettering field size: 30 x 4 mm

US-WMT (30X4) - Cable marker

0828770

<https://www.phoenixcontact.com/us/products/0828770>



PATG 5/30 - Conductor marker carrier

0822482

<https://www.phoenixcontact.com/us/products/0822482>



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 10 ... 14 mm, lettering field size: 30 x 4 mm

PATG HF 1/30 - Conductor marker carrier

1014049

<https://www.phoenixcontact.com/us/products/1014049>



Conductor marker carrier, transparent/black, unlabeled, mounting type: slide-on, cable diameter range: 1.3 ... 2.8 mm, lettering field size: 30 x 4 mm

US-WMT (30X4) - Cable marker

0828770

<https://www.phoenixcontact.com/us/products/0828770>



PATG HF 2/30 - Conductor marker carrier

1014055

<https://www.phoenixcontact.com/us/products/1014055>



Conductor marker carrier, transparent/black, unlabeled, mounting type: slide-on, cable diameter range: 2 ... 4 mm, lettering field size: 30 x 4 mm

PATG HF 3/30 - Conductor marker carrier

1014061

<https://www.phoenixcontact.com/us/products/1014061>



Conductor marker carrier, transparent/black, unlabeled, mounting type: slide-on, cable diameter range: 4 ... 7 mm, lettering field size: 30 x 4 mm

US-WMT (30X4) - Cable marker

0828770

<https://www.phoenixcontact.com/us/products/0828770>



PATG HF 4/30 - Conductor marker carrier

1014067

<https://www.phoenixcontact.com/us/products/1014067>



Conductor marker carrier, transparent/black, unlabeled, mounting type: slide-on, cable diameter range: 5 ... 10 mm, lettering field size: 30 x 4 mm

PATG HF 3/30 VPE 1000 - Conductor marker carrier

1044263

<https://www.phoenixcontact.com/us/products/1044263>



Conductor marker carrier, transparent/black, unlabeled, mounting type: slide-on, cable diameter range: 4 ... 7 mm, lettering field size: 30 x 4 mm

US-WMT (30X4) - Cable marker

0828770

<https://www.phoenixcontact.com/us/products/0828770>



PATG HF 4/30 VPE 1000 - Conductor marker carrier

1044271

<https://www.phoenixcontact.com/us/products/1044271>



Conductor marker carrier, transparent/black, unlabeled, mounting type: slide-on, cable diameter range: 5 ... 10 mm

PATO 1/30 - Conductor marker carrier

0822495

<https://www.phoenixcontact.com/us/products/0822495>



Conductor marker carrier, transparent, unlabeled, mounting type: clip on, cable diameter range: 2 ... 3.5 mm, lettering field size: 4 x 30 mm

US-WMT (30X4) - Cable marker

0828770

<https://www.phoenixcontact.com/us/products/0828770>



PATO 2/30 - Conductor marker carrier

0822505

<https://www.phoenixcontact.com/us/products/0822505>



Conductor marker carrier, transparent, unlabeled, mounting type: clip on, cable diameter range: 2.8 ... 4.4 mm, lettering field size: 4 x 30 mm

PAB-SK 30 - Marker carriers

1013290

<https://www.phoenixcontact.com/us/products/1013290>



Marker carriers, transparent, unlabeled, mounting type: adhesive, lettering field size: 30 x 4 mm

US-WMT (30X4) - Cable marker

0828770

<https://www.phoenixcontact.com/us/products/0828770>



PAB-KTL - Cable marker carrier

1013261

<https://www.phoenixcontact.com/us/products/1013261>



Cable marker carrier, transparent, unlabeled, horizontal, mounting type:
Assembly with cable ties, cable diameter: > 10 mm, lettering field size:
30 x 4 mm

THERMOMARK CARD-US-MAG1 - Magazine

5146451

<https://www.phoenixcontact.com/us/products/5146451>



Magazine for the THERMOMARK CARD printer, for accommodating US cards

US-WMT (30X4) - Cable marker

0828770

<https://www.phoenixcontact.com/us/products/0828770>



TMP-US-MAG1 - Magazine

0803341

<https://www.phoenixcontact.com/us/products/0803341>

Magazine, For THERMOMARK CARD and THERMOMARK PRIME, for accommodating US cards



THERMOMARK-RIBBON 110/50-TC - Ink ribbon

0801384

<https://www.phoenixcontact.com/us/products/0801384>

Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., length: 50 m, roll length: 50 m, width: 110 mm, color: black



US-WMT (30X4) - Cable marker

0828770

<https://www.phoenixcontact.com/us/products/0828770>



THERMOMARK-RIBBON 110-TC - Ink ribbon

0801371

<https://www.phoenixcontact.com/us/products/0801371>



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., length: 300 m, roll length: 300 m, width: 110 mm, color: black

TMP-RIBBON 110 BK 100 - Ink ribbon cartridge

0803374

<https://www.phoenixcontact.com/us/products/0803374>



Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups UCT. ..., US..., and UM..., roll length: 70 m, width: 110 mm, color: black

US-WMT (30X4) - Cable marker

0828770

<https://www.phoenixcontact.com/us/products/0828770>



BM ID-CARTR. BK - Ink cartridge

1044345

<https://www.phoenixcontact.com/us/products/1044345>



Replacement UV fluid, 23 ml, color: black

BM ID-CARTR. CY - Ink cartridge

1044346

<https://www.phoenixcontact.com/us/products/1044346>



Replacement UV fluid, 23 ml, color: cyan

US-WMT (30X4) - Cable marker

0828770

<https://www.phoenixcontact.com/us/products/0828770>



BM ID-CARTR. YE - Ink cartridge

1044348

<https://www.phoenixcontact.com/us/products/1044348>



Replacement UV fluid, 23 ml, color: yellow

BM ID-ADAPTER PLATE-US - Magazine

1044355

<https://www.phoenixcontact.com/us/products/1044355>



Adapter plate for accommodating US sheets

US-WMT (30X4) - Cable marker

0828770

<https://www.phoenixcontact.com/us/products/0828770>



TMP-RIBBON 110 BK 101 - Ink ribbon cartridge

0803714

<https://www.phoenixcontact.com/us/products/0803714>



Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups US(2)-TM(F)...., US-TM(F)L...., US-WMTB...., US-EML...., US-EML(S)P...., US-EMLP-HA...., US-EM(S)P...., US-EML-RS...., roll length: 60 m, width: 110 mm, color: black

TMP-RIBBON 110 GN 100 - Ink ribbon cartridge

0803380

<https://www.phoenixcontact.com/us/products/0803380>



Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups US(2)-TM(F)...., US-TM(F)L...., US-WMTB...., US-EML...., US-EML(S)P...., US-EMLP-HA...., US-EM(S)P...., US-EML-RS...., roll length: 60 m, width: 110 mm, color: green

US-WMT (30X4) - Cable marker

0828770

<https://www.phoenixcontact.com/us/products/0828770>



TMP-RIBBON 110 RD 100 - Ink ribbon cartridge

0803377

<https://www.phoenixcontact.com/us/products/0803377>



Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups US(2)-TM(F)...., US-TM(F)L...., US-WMTB...., US-EML...., US-EML(S)P...., US-EMLP-HA...., US-EM(S)P...., US-EML-RS...., roll length: 60 m, width: 110 mm, color: red

TMP-RIBBON 110 BU 100 - Ink ribbon cartridge

0803378

<https://www.phoenixcontact.com/us/products/0803378>



Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups US(2)-TM(F)...., US-TM(F)L...., US-WMTB...., US-EML...., US-EML(S)P...., US-EMLP-HA...., US-EM(S)P...., US-EML-RS...., roll length: 60 m, width: 110 mm, color: blue

US-WMT (30X4) - Cable marker

0828770

<https://www.phoenixcontact.com/us/products/0828770>



TMP-RIBBON 110 YE 100 - Ink ribbon cartridge

0803379

<https://www.phoenixcontact.com/us/products/0803379>



Ink ribbon cartridge, for THERMOMARK PRIME for printing product groups US(2)-TM(F)...., US-TM(F)L...., US-WMTB...., US-EML...., US-EML(S)P...., US-EMLP-HA...., US-EM(S)P...., US-EML-RS...., roll length: 60 m, width: 110 mm, color: yellow

Phoenix Contact 2023 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com