

# CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Profile, self-adhesive, 1000 mm long, for accommodating UC-,/US-, LS-, and EMT (EX15)R material, 15 mm height

## Commercial data

Item number	0829559
Packing unit	1 pc
Minimum order quantity	25 pc
Sales key	BG12
Product key	BG241A
Catalog page	Page 350 (C-3-2019)
GTIN	4046356614900
Weight per piece (including packing)	27.5 g
Weight per piece (excluding packing)	27.5 g
Customs tariff number	39162000
Country of origin	DE

# CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

## Technical data

### Product properties

Product type	Marker carriers
--------------	-----------------

### Dimensions

Width	1000 mm
Length	15 mm

### Material specifications

RoHS compliant	yes
Adhesive	Acrylic
Color	gray
Material	PVC
Components	Silicone-free

### Environmental and real-life conditions

#### Test for substances that would hinder coating with paint or varnish

Result	Test passed
--------	-------------

#### UV resistance

Specification	ISO 4892-2:2013-03
Result	Test passed
Test duration	96 h
Specification	IEC 60068-2-2:2007-07
Result	Test passed
Duration	96 h
Maximum temperature	+60 °C

#### Testing in a condensation changing climate in the presence of sulfur dioxide

Specification	DIN 50018:2013-05
Result	Test passed
Climate level	AHT 1.0 S
Cycles	2

#### Salt spray test

Specification	DIN EN 60068-2-11:2000-02
Result	Test passed

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 60 °C
Recommended storage conditions	23 °C/50 % relative humidity. Storage in a dry and dark place in the original packaging is recommended.
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 %

# CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

Shelf life	12 months
------------	-----------

## Mounting

Mounting type	adhesive
---------------	----------

# CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

## Classifications

### ECLASS

ECLASS-11.0	27281105
ECLASS-12.0	27281105
ECLASS-13.0	27281105

### ETIM

ETIM 8.0	EC001530
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# CARRIER/L-EMP (1000X15) GY - Marker carriers



0829559

<https://www.phoenixcontact.com/us/products/0829559>

## Environmental product compliance

REACH SVHC	DOT 15571-58-1
------------	----------------

Phoenix Contact 2023 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)