

ES/KMK 3 - Insert strip

1005224

<https://www.phoenixcontact.com/us/products/1005224>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Insert strip, Sheet, white, unlabeled, can be labeled with: Office printing systems, CMS-P1-PLOTTER, perforated, mounting type: insert, lettering field size: 40 x 17 mm, Number of individual labels: 10

Commercial data

Item number	1005224
Packing unit	1 pc
Minimum order quantity	10 pc
Sales key	BG12
Product key	BG2312
GTIN	4017918012458
Weight per piece (including packing)	2.8 g
Weight per piece (excluding packing)	2.6 g
Customs tariff number	48025890
Country of origin	DE

Technical data

Notes

General	Print image may vary depending on laser printer
---------	---

Product properties

Product type	Terminal marking
Type	Insert strip

Marking

Number of individual labels	10
-----------------------------	----

Dimensions

Width	17 mm
Length	40 mm

External dimensions

Outside diameter	16 mm ... 35 mm
------------------	-----------------

Material specifications

Color	white
Material	Cardboard

Environmental and real-life conditions

Ambient conditions

Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 % (Storage in a dry and dark place in the original packaging is recommended)

Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
-----------------	-----------------------------

Mounting

Mounting type	insert
---------------	--------

ES/KMK 3 - Insert strip

1005224

<https://www.phoenixcontact.com/us/products/1005224>



Classifications

ECLASS

ECLASS-11.0	27281106
ECLASS-12.0	27281106
ECLASS-13.0	27281106

ETIM

ETIM 8.0	EC001530
----------	----------

UNSPSC

UNSPSC 21.0	39131700
-------------	----------

Phoenix Contact 2023 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com