

# PRC FC-M CODE-RD - Color-coding



1125097

<https://www.phoenixcontact.com/us/products/1125097>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Color-coding, Range of articles: PRC 35, housing material: PA 6.6-FR, color: red



## Your advantages

- Color coding for PRC connectors
- Easy installation
- Other colors available on request

## Commercial data

Item number	1125097
Packing unit	1 pc
Minimum order quantity	50 pc
Sales key	AB03
Product key	ABLCZB
GTIN	4063151050597
Weight per piece (including packing)	3.632 g
Weight per piece (excluding packing)	3.632 g
Customs tariff number	39269097
Country of origin	PL

# PRC FC-M CODE-RD - Color-coding



1125097

<https://www.phoenixcontact.com/us/products/1125097>

## Technical data

### Product properties

Product type	Installation connector
Product family	PRC 35

### Insulation characteristics

Protection class	II
Degree of pollution	2

### Dimensions

Width	37.6 mm
Height	37.6 mm
Length	24.1 mm

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	40 °C ... 105 °C
Ambient temperature (storage/transport)	40 °C ... 70 °C
Ambient temperature (assembly)	-5 °C ... 85 °C

# PRC FC-M CODE-RD - Color-coding



1125097

<https://www.phoenixcontact.com/us/products/1125097>

## Classifications

### ECLASS

ECLASS-11.0	27440102
ECLASS-12.0	27440116
ECLASS-13.0	27440116

### ETIM

ETIM 8.0	EC002635
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# PRC FC-M CODE-RD - Color-coding



1125097

<https://www.phoenixcontact.com/us/products/1125097>

## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)