

SF-BIT-HEXB 5-89 - Screw insert



1208911

<https://www.phoenixcontact.com/us/products/1208911>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Screw bit, hexagonal with ball head, E6.3-1/4" drive, size: Hex 5 x 89 mm, hardened, suitable for holder according to DIN 3126-F 6.3/ISO 1173

Commercial data

Item number	1208911
Packing unit	1 pc
Minimum order quantity	5 pc
Sales key	BH31
Product key	BH3149
Catalog page	Page 232 (NTK-2012)
GTIN	4046356116640
Weight per piece (including packing)	23.65 g
Weight per piece (excluding packing)	23.65 g
Customs tariff number	82079030
Country of origin	CZ

SF-BIT-HEXB 5-89 - Screw insert



1208911

<https://www.phoenixcontact.com/us/products/1208911>

Technical data

Notes

Environmental Product Compliance

California Proposition 65

Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product properties

Type

Hexagonal

Product type

Screwdriver tools

Application

1/4"

Connection data

Output

External hexagonal

Dimensions

Length

89 mm

Material specifications

Color

silver

SF-BIT-HEXB 5-89 - Screw insert



1208911

<https://www.phoenixcontact.com/us/products/1208911>

Approvals

🔗 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/1208911>



EAC

Approval ID: RU C-DE.AI30.B.01750

SF-BIT-HEXB 5-89 - Screw insert



1208911

<https://www.phoenixcontact.com/us/products/1208911>

Classifications

ECLASS

ECLASS-11.0	21044290
ECLASS-12.0	21044290
ECLASS-13.0	21044290

ETIM

ETIM 8.0	EC011813
----------	----------

UNSPSC

UNSPSC 21.0	27111700
-------------	----------

SF-BIT-HEXB 5-89 - Screw insert

1208911

<https://www.phoenixcontact.com/us/products/1208911>



Accessories

SF-M BH - Screwdriver

1212070

<https://www.phoenixcontact.com/us/products/1212070>



Bit screwdriver, with 1/4" quick-action chuck, handle length 119 mm, 2-component handle, with non-slip grip, suitable for bits according to DIN 3126-C 6.3 and E 6.3/ISO 1173, magnetic

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com