

HC-B16-HCLFD-PR-BK - Protective cover



1414632

<https://www.phoenixcontact.com/us/products/1414632>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Protective cover B16, for double locking latch, protective cover material: PA, height: 21.6 mm, seal: yes

Commercial data

Item number	1414632
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BF66
Product key	BF7AZC
Catalog page	Page 654 (C-2-2019)
GTIN	4055626030654
Weight per piece (including packing)	57 g
Weight per piece (excluding packing)	37 g
Customs tariff number	85389099
Country of origin	DE

HC-B16-HCLFD-PR-BK - Protective cover



1414632

<https://www.phoenixcontact.com/us/products/1414632>

Technical data


Notes

General	Protective cover for supporting base element with double locking latch
---------	--

Product properties

Type	B16
Product type	Protective cover
Housing type	Protective cover
Seal present	yes

Dimensions

Dimensional drawing	
Width	46 mm
Height	21.6 mm
Length	97 mm
Diameter	30 mm

Material specifications

Material	PA
Flammability rating according to UL 94	HB
Seal material	NBR
Material, protective cover	PA

Mechanical properties

Mechanical data

Locking type	Pin
--------------	-----

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP66
Ambient temperature (operation)	-20 °C ... 100 °C

Mounting

Assembly instructions	Plastic protective cover for short-term protection
-----------------------	--

HC-B16-HCLFD-PR-BK - Protective cover



1414632

<https://www.phoenixcontact.com/us/products/1414632>

Classifications

ECLASS

ECLASS-11.0	27440208
ECLASS-13.0	27440208

ETIM

ETIM 8.0	EC002314
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

HC-B16-HCLFD-PR-BK - Protective cover



1414632

<https://www.phoenixcontact.com/us/products/1414632>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com