

HC-KDT 14-15 - Cable feed-through sleeve



1644148

<https://www.phoenixcontact.com/us/products/1644148>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cable feed-through sleeves, for conductor diameters of 14-15 mm, starting at 10 mm, a cable binder can be used as strain relief

Commercial data

Item number	1644148
Packing unit	1 pc
Minimum order quantity	10 pc
Note	Made to order (non-returnable)
Sales key	BF66
Product key	BF7AZA
Catalog page	Page 678 (C-4-2015)
GTIN	4017918896003
Weight per piece (including packing)	3.64 g
Weight per piece (excluding packing)	3.64 g
Customs tariff number	39269097
Country of origin	DE

HC-KDT 14-15 - Cable feed-through sleeve



1644148

<https://www.phoenixcontact.com/us/products/1644148>

Technical data

Material specifications

Material	Thermoplastic rubber
Flammability rating according to UL 94	HB

Cable/line

External cable diameter ()	14 mm ... 15 mm
-----------------------------	-----------------

Characteristics

Conductor sealing range	14.00 mm ... 15.00 mm
Design, Cable seal	open

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP54
Ambient temperature (operation)	-40 °C ... 125 °C

HC-KDT 14-15 - Cable feed-through sleeve




1644148

<https://www.phoenixcontact.com/us/products/1644148>

Drawings

Dimensional drawing



Dimensional drawing

HC-KDT 14-15 - Cable feed-through sleeve



1644148

<https://www.phoenixcontact.com/us/products/1644148>

Classifications

ETIM

ETIM 7.0	EC000451
----------	----------

UNSPSC

UNSPSC 21.0	39121448
-------------	----------

HC-KDT 14-15 - Cable feed-through sleeve



1644148
<https://www.phoenixcontact.com/us/products/1644148>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com