

HC-B 10-AML - Housing

1771338

<https://www.phoenixcontact.com/us/products/1771338>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

HEAVYCON B10 panel mounting base, with single locking latch, height: 29 mm, with flat gasket



Commercial data

| | |
|--------------------------------------|--------------------------------|
| Item number | 1771338 |
| Packing unit | 1 pc |
| Minimum order quantity | 10 pc |
| Note | Made to order (non-returnable) |
| Sales key | BF55 |
| Product key | BF7AAC |
| Catalog page | Page 496 (C-4-2013) |
| GTIN | 4017918036065 |
| Weight per piece (including packing) | 100.58 g |
| Weight per piece (excluding packing) | 91.9 g |
| Customs tariff number | 85389099 |
| Country of origin | DE |

HC-B 10-AML - Housing

1771338

<https://www.phoenixcontact.com/us/products/1771338>

Technical data


Notes

| | |
|---------|--|
| General | For contact inserts HC-B10, BB18, DD42, M, K8/24 |
|---------|--|

Product properties

| | |
|---------------------|----------------------------|
| Type | B10 |
| Product type | Housing with locking latch |
| Housing type | Panel mounting base |
| Shielded | no |
| Pg screw connection | none |

Dimensions

| | |
|---------------------|---|
| Dimensional drawing |  |
| Width | 43 mm |
| Height | 29 mm |
| Length | 93 mm |

Installation dimensions

| | |
|-------------------------------|-------|
| Width of the assembly cutout | 35 mm |
| Length of the assembly cutout | 65 mm |

Material specifications

| | |
|--------------------------|-----------------------------|
| Seal material | NBR |
| | CR |
| Housing surface material | Powder-coated, gray |
| Locking latch material | Stainless steel, handle: PA |
| Housing material | die-cast aluminum |

Mechanical properties

Mechanical data

| | |
|--------------|-------|
| Locking type | Latch |
|--------------|-------|

Environmental and real-life conditions

Ambient conditions

| | |
|---------------------------------|------------------------|
| Degree of protection | IP65 (When plugged in) |
| Ambient temperature (operation) | -40 °C ... 125 °C |

HC-B 10-AML - Housing


1771338

<https://www.phoenixcontact.com/us/products/1771338>




Drawings

Dimensional drawing



Dimensional drawing



Mounting cutout

HC-B 10-AML - Housing

1771338

<https://www.phoenixcontact.com/us/products/1771338>



Classifications

ECLASS

| | |
|-------------|----------|
| ECLASS-11.0 | 27440202 |
| ECLASS-13.0 | 27440202 |

ETIM

| | |
|----------|----------|
| ETIM 7.0 | EC000437 |
|----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 31261501 |
|-------------|----------|

HC-B 10-AML - Housing

1771338

<https://www.phoenixcontact.com/us/products/1771338>



Environmental product compliance

| | |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
| | No hazardous substances above threshold values |

HC-B 10-AML - Housing

1771338

<https://www.phoenixcontact.com/us/products/1771338>



Accessories

HC-B 10-LB - Housing brackets

1584651

<https://www.phoenixcontact.com/us/products/1584651>



Replacement plastic single locking latch for standard housings of type B10

HC-B 10-PR-DI - Profile gasket

1663035

<https://www.phoenixcontact.com/us/products/1663035>



Profile gasket for type B10 supporting base element

HC-B 10-AML - Housing

1771338

<https://www.phoenixcontact.com/us/products/1771338>



HC-B 10-FL-DI-N - Seal

1411449

<https://www.phoenixcontact.com/us/products/1411449>



Replacement flange seal, for HEAVYCON type B10 panel mounting base, latching, for panel mounting base with snapped-on flat gaskets, not for HC-.... EMV housing, color: black

HC-B 10-FL-DI - Flat gasket

1662146

<https://www.phoenixcontact.com/us/products/1662146>



Replacement flange seal, for HEAVYCON panel mounting base of type: B 10, self-adhesive, not for HC-...EMC housings, color: Black

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com