

# HC-DS-PG16-T - Pressure screw



1772696

<https://www.phoenixcontact.com/us/products/1772696>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Pressure screws, with flared cable guard, clamping area 9.5-15 mm, for housing with Pg16 support



## Commercial data

Item number	1772696
Packing unit	1 pc
Minimum order quantity	10 pc
Note	Made to order (non-returnable)
Sales key	BF68
Product key	BF7DFX
Catalog page	Page 556 (C-4-2013)
GTIN	4017918037345
Weight per piece (including packing)	36.81 g
Weight per piece (excluding packing)	29.06 g
Customs tariff number	74199990
Country of origin	DE

# HC-DS-PG16-T - Pressure screw

1772696

<https://www.phoenixcontact.com/us/products/1772696>



## Technical data

### Product properties

Product type	Half screw connection
--------------	-----------------------

### Dimensions

Dimensional drawing	
Clamping range of the strain relief clip	9.50 mm ... 15.00 mm

### Material specifications

Material	Brass, nickel-plated
----------	----------------------


# HC-DS-PG16-T - Pressure screw

1772696

<https://www.phoenixcontact.com/us/products/1772696>



## Drawings



Dimensional drawing

# HC-DS-PG16-T - Pressure screw



1772696

<https://www.phoenixcontact.com/us/products/1772696>

## Classifications

### ETIM

ETIM 7.0	EC000814
----------	----------

### UNSPSC

UNSPSC 21.0	31161514
-------------	----------

# HC-DS-PG16-T - Pressure screw



1772696

<https://www.phoenixcontact.com/us/products/1772696>

## Environmental product compliance

China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2023 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)