

HC-D 7-TFL-57/M1PG11G - Housing

1773048

<https://www.phoenixcontact.com/us/products/1773048>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Sleeve housing, for single locking latch, height 57 mm, with screw connection, 1 x Pg11, straight cable outlet, zinc die-cast

Commercial data

Item number	1773048
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Sales key	BF55
Product key	BF7AAE
Catalog page	Page 410 (C-4-2013)
GTIN	4017918122317
Weight per piece (including packing)	81.85 g
Weight per piece (excluding packing)	80.27 g
Customs tariff number	85389099
Country of origin	DE

HC-D 7-TFL-57/M1PG11G - Housing

1773048

<https://www.phoenixcontact.com/us/products/1773048>

Technical data


Notes

General	for contact inserts HC-A03, A04, D07, D08, Q02, Q03, Q04, Q05, Q07, Q12
---------	---

Product properties

Type	D7
Product type	Housing with locking latch
Application	Standard
No. of cable outlets	1
Type of the screw connection	1x Pg11
Housing type	Sleeve housing
Shielded	no
Cable outlet	straight
Pg screw connection	with

Dimensions

Dimensional drawing	
Width	34 mm
Height	57 mm
Length	26.5 mm
Wrench size, union nut	18 mm

Material specifications

Material	Brass, nickel-plated
Seal material Cable seal	NBR
Housing surface material	Powder-coated, gray
Housing material	Zinc die-cast

Mechanical properties

Mechanical data

Type of the screw connection	1x Pg11
Locking type	Pin

Cable/line

External cable diameter (Cable 1)	7.5 mm ... 12.5 mm
-----------------------------------	--------------------

Environmental and real-life conditions

HC-D 7-TFL-57/M1PG11G - Housing



1773048

<https://www.phoenixcontact.com/us/products/1773048>

Ambient conditions

Degree of protection	IP54
	IP65 (with sealing screw)
Ambient temperature (operation)	-40 °C ... 125 °C

HC-D 7-TFL-57/M1PG11G - Housing




1773048

<https://www.phoenixcontact.com/us/products/1773048>

Drawings

Dimensional drawing



Dimensional drawing

HC-D 7-TFL-57/M1PG11G - Housing



1773048

<https://www.phoenixcontact.com/us/products/1773048>

Classifications

ECLASS

ECLASS-11.0	27440202
ECLASS-13.0	27440202

HC-D 7-TFL-57/M1PG11G - Housing



1773048

<https://www.phoenixcontact.com/us/products/1773048>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

HC-D 7-TFL-57/M1PG11G - Housing



1773048

<https://www.phoenixcontact.com/us/products/1773048>

Accessories

HC-D 7-DS-IP65 - Sealing screw

1686229

<https://www.phoenixcontact.com/us/products/1686229>



Sealing screw, size: Countersunk head, IP67, replacement part for D7 size HEAVYCON housing

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com