

# SKBI 64/C64 - Plug-in card block

2263036

<https://www.phoenixcontact.com/us/products/2263036>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



19" plug-in card block, color: green, number of positions: 64, product range: SKBI 64, pitch: 2.54 mm, type of packaging: packed in cardboard

## Commercial data

|                                      |                     |
|--------------------------------------|---------------------|
| Item number                          | 2263036             |
| Packing unit                         | 1 pc                |
| Minimum order quantity               | 1 pc                |
| Sales key                            | AA18                |
| Product key                          | AARHAE              |
| Catalog page                         | Page 781 (C-1-2013) |
| GTIN                                 | 4017918053888       |
| Weight per piece (including packing) | 342.5 g             |
| Weight per piece (excluding packing) | 284.1 g             |
| Customs tariff number                | 85369010            |
| Country of origin                    | DE                  |

# SKBI 64/C64 - Plug-in card block

2263036

<https://www.phoenixcontact.com/us/products/2263036>




## Technical data

### Product properties

|                     |                           |
|---------------------|---------------------------|
| Type                | IEC 60603-2/DIN 41612 - C |
| Product type        | 19" plug-in card block    |
| Product family      | SKBI 64                   |
| Number of positions | 64                        |
| Pitch               | 2.54 mm                   |

### Dimensions

|                     |   |
|---------------------|---|
| Dimensional drawing |  |
| Width               | 118 mm  |
| Height              | 162 mm  |
| Length              | 66 mm   |
| Hole diameter       | 4.2 mm  |
| Pitch               | 2.54 mm   |

### Material specifications

|       |       |
|-------|-------|
| Color | green |
|-------|-------|

### Standards and regulations

|                                  |        |
|----------------------------------|--------|
| Connection in acc. with standard | EN-VDE |
|----------------------------------|--------|

### Mounting

|                   |                                      |
|-------------------|--------------------------------------|
| Connection method | Screw connection with tension sleeve |
|-------------------|--------------------------------------|

### Packaging specifications

|                   |                     |
|-------------------|---------------------|
| Type of packaging | packed in cardboard |
|-------------------|---------------------|

# SKBI 64/C64 - Plug-in card block


2263036

<https://www.phoenixcontact.com/us/products/2263036>



## Drawings

Dimensional drawing




# SKBI 64/C64 - Plug-in card block

2263036

<https://www.phoenixcontact.com/us/products/2263036>



Schematic diagram



# SKBI 64/C64 - Plug-in card block

2263036

<https://www.phoenixcontact.com/us/products/2263036>



## Approvals

🔗 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/2263036>



**EAC**

Approval ID: B.01687

# SKBI 64/C64 - Plug-in card block



2263036

<https://www.phoenixcontact.com/us/products/2263036>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-11.0 | 27141152 |
| ECLASS-12.0 | 27141152 |

### ETIM

|          |          |
|----------|----------|
| ETIM 8.0 | EC002780 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39121400 |
|-------------|----------|

# SKBI 64/C64 - Plug-in card block



2263036

<https://www.phoenixcontact.com/us/products/2263036>

## Environmental product compliance

|            |   |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|            | No hazardous substances above threshold values          |

# SKBI 64/C64 - Plug-in card block

2263036

<https://www.phoenixcontact.com/us/products/2263036>



## Accessories

### SF-SKBI 64 - Accessories

2263007

<https://www.phoenixcontact.com/us/products/2263007>



Snap foot, for horizontal or vertical mounting of the SKBI plug-in card blocks, on the NS 35/7.5 DIN rail

---

Phoenix Contact 2023 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)