

# PACT-FAST-MNT-W13-L65 - Mounting material



2276625

<https://www.phoenixcontact.com/us/products/2276625>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



The transformer quick-action mechanism enables the lightning-fast mounting of PACT current transformers on the power rail. The installation can be completed easily by hand without the use of tools. Fixing pins: 65 mm, holding latches: 13 mm

## Commercial data

Item number	2276625
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	C444
Product key	CK4A1Z
Catalog page	Page 218 (C-5-2019)
GTIN	4046356658348
Weight per piece (including packing)	61.55 g
Weight per piece (excluding packing)	55.2 g
Customs tariff number	39269097
Country of origin	CN

# PACT-FAST-MNT-W13-L65 - Mounting material



2276625

<https://www.phoenixcontact.com/us/products/2276625>

## Technical data

### Notes

General	The 16 mm wide converter attachment can also be used for larger current transformers if the length of the fixing pins is sufficient.
---------	--------------------------------------------------------------------------------------------------------------------------------------


### Product properties

Product type	Mounting material
--------------	-------------------

### Connection data

Tightening torque	0.4 Nm
-------------------	--------

### Dimensions

Dimensional drawing	
Width	13 mm
Depth	65 mm

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-25 °C ... 120 °C
---------------------------------	-------------------

# PACT-FAST-MNT-W13-L65 - Mounting material



2276625

<https://www.phoenixcontact.com/us/products/2276625>

## Classifications

### ECLASS

ECLASS-11.0	27210992
ECLASS-12.0	27210992
ECLASS-13.0	27210992

### ETIM

ETIM 8.0	EC002498
----------	----------

### UNSPSC

UNSPSC 21.0	39121000
-------------	----------

# PACT-FAST-MNT-W13-L65 - Mounting material



2276625

<https://www.phoenixcontact.com/us/products/2276625>

## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)