

# BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

<https://www.phoenixcontact.com/us/products/2320458>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Used for mounting batteries that cannot be mounted on DIN rails.



## Product description

Mounting set, consisting of battery frame for universal wall mounting or surface mounting, 2 x cross dowel (M6) with collar, 2 x screw (M6 x 140), 2 x washer (6.4 x 12), 1 x battery retaining bracket with fixing bracket, and 4 x screw (M3 x 14).

## Commercial data

|                                      |                     |
|--------------------------------------|---------------------|
| Item number                          | 2320458             |
| Packing unit                         | 1 pc                |
| Minimum order quantity               | 1 pc                |
| Sales key                            | CM24                |
| Product key                          | CMUEZ9              |
| Catalog page                         | Page 339 (C-4-2019) |
| GTIN                                 | 4046356933131       |
| Weight per piece (including packing) | 5,500 g             |
| Weight per piece (excluding packing) | 5,410 g             |
| Customs tariff number                | 73269098            |
| Country of origin                    | DE                  |

# BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

<https://www.phoenixcontact.com/us/products/2320458>

## Technical data

### Product properties

|                |                   |
|----------------|-------------------|
| Product type   | Mounting material |
| Product family | Mounting material |

### Dimensions

#### Item dimensions

|        |        |
|--------|--------|
| Width  | 464 mm |
| Height | 201 mm |
| Depth  | 205 mm |

### Material specifications

|                  |                      |
|------------------|----------------------|
| Housing material | Steel, powder-coated |
|------------------|----------------------|

### Environmental and real-life conditions

#### Ambient conditions

|                       |  |
|-----------------------|--|
| Shock (operation)     | 15g, 11 ms, half sine (IEC 60068-2-27) |
| Vibration (operation) | 0,7g (DNV-GL / IEC 60068-2-6)          |

### Approvals

#### DNV GL data

|           |         |
|-----------|---------|
| Vibration | Class A |
|-----------|---------|

# BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

<https://www.phoenixcontact.com/us/products/2320458>

## Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/2320458>



**LR**

Approval ID: LR22136091TA



**BV**

Approval ID: 41516/B0 BV

**ABS**

Approval ID: 22-2244289-PDA

**DNV**

Approval ID: TAA0000265

**ABS**

Approval ID: 22-2244289-PDA



**BV**

Approval ID: 41516/B0 BV



**LR**

Approval ID: LR22136091TA

**DNV**

Approval ID: TAA0000265

# BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

<https://www.phoenixcontact.com/us/products/2320458>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-11.0 | 27059090 |
| ECLASS-12.0 | 27059090 |
| ECLASS-13.0 | 27059090 |

### ETIM

|          |          |
|----------|----------|
| ETIM 8.0 | EC002839 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 26111700 |
|-------------|----------|

# BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

<https://www.phoenixcontact.com/us/products/2320458>

## Accessories

### UPS-BAT/VRLA-WTR/24DC/26AH - Energy storage

2320429

<https://www.phoenixcontact.com/us/products/2320429>

Energy storage device, lead AGM, VRLA technology, 24 V DC, 26 Ah, tool-free battery replacement, automatic detection, and communication with QUINT UPS-IQ



---

### UPS-BAT/VRLA/24DC/38AH - Energy storage

2320335

<https://www.phoenixcontact.com/us/products/2320335>

Energy storage device, lead AGM, VRLA technology, 24 V DC, 38 Ah, automatic detection, and communication with QUINT UPS-IQ



---

Phoenix Contact 2023 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)