

UEGM 22,5 BK - Electronic housing



2792895

<https://www.phoenixcontact.com/us/products/2792895>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Electronic housing, for PCB insertion, fully equipped with 3 screw or 6 tab connections per side



Commercial data

Item number	2792895
Packing unit	1 pc
Minimum order quantity	10 pc
Note	Made to order (non-returnable)
Sales key	AC11
Product key	ACHCCB
GTIN	4017918252373
Weight per piece (including packing)	54.38 g
Weight per piece (excluding packing)	45.988 g
Customs tariff number	85369010
Country of origin	DE

UEGM 22,5 BK - Electronic housing

2792895

<https://www.phoenixcontact.com/us/products/2792895>

Technical data


Product properties

Type	Connection system integrated, housing closed
Number of positions	6
Pitch	5 mm
Number of rows	1
Housing type	Complete housing
Pin layout	Linear pinning

Electrical properties

Nominal voltage U_N	500 V (Voltage and current values are affected by the configuration of the printed circuit board.)
Nominal current I_N	10 A

Dimensions

Dimensional drawing	
Width	22.5 mm
Height NS 35/7,5	85.5 mm
Depth	79 mm
Length	79 mm
Pitch	5 mm

Material specifications

Color	black
Flammability rating according to UL 94	V2
Housing material	Polyamide (PA 6.6)

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C ... 105 °C
---------------------------------	-------------------

Mounting

Mounting type	Soldering
Pin layout	Linear pinning
Connection method	Screw connection

UEGM 22,5 BK - Electronic housing




2792895

<https://www.phoenixcontact.com/us/products/2792895>

Drawings

Dimensional drawing




UEGM 22,5 BK - Electronic housing

2792895


<https://www.phoenixcontact.com/us/products/2792895>



Exploded view



Dimensional drawing




UEGM 22,5 BK - Electronic housing

2792895

<https://www.phoenixcontact.com/us/products/2792895>




Dimensional drawing



UEGM 22,5... with 1 PCB, 6 positions or 12 positions (FS/FS)

Schematic diagram



UEGM 22,5 BK - Electronic housing

2792895

<https://www.phoenixcontact.com/us/products/2792895>



Classifications

ECLASS

ECLASS-11.0

27182702

ETIM

ETIM 8.0

EC001031

UNSPSC

UNSPSC 21.0

31261500

UEGM 22,5 BK - Electronic housing

2792895

<https://www.phoenixcontact.com/us/products/2792895>



Environmental product compliance

China RoHS	Environmentally Friendly Use Period = 50 years For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"
------------	--

UEGM 22,5 BK - Electronic housing

2792895

<https://www.phoenixcontact.com/us/products/2792895>



Accessories

DB 50- 90 GY - Wire bridge

2820929

<https://www.phoenixcontact.com/us/products/2820929>

Flexible wire loop bridge, 50-pos., conductor cross-section: 0.5 mm², loop length: 90 mm, ferrule length: 8 mm, color: gray



Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com