

UMK-BE 45 BK - Base element

2971894

<https://www.phoenixcontact.com/us/products/2971894>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Electronic board base, plug-in module base element

Commercial data

Item number	2971894
Packing unit	1 pc
Minimum order quantity	10 pc
Note	Made to order (non-returnable)
Sales key	AC13
Product key	ACHDCA
GTIN	4017918280772
Weight per piece (including packing)	16.63 g
Weight per piece (excluding packing)	16.04 g
Customs tariff number	84879090
Country of origin	PL

UMK-BE 45 BK - Base element

2971894

<https://www.phoenixcontact.com/us/products/2971894>




Technical data

Product properties

Type	Module width 45 mm, since the housing can remain open at the top, it is possible for parts to protrude above the actual profile height
Product type	Component housing lower part
Product family	UMK BE
Type	Plug-in module base element
Housing type	Press-drawn section housings
Ventilation openings present	no
Housing series	UMK

Dimensions

Dimensional drawing	
Depth	15.5 mm
Length	45 mm

External dimensions

Profile width (external)	77 mm
--------------------------	-------

Internal dimensions

Profile width (internal)	72.2 mm
--------------------------	---------

Material specifications

Color	black (9005)
Flammability rating according to UL 94	V2
Surface characteristics	untreated
Housing material	Polyamide

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C ... 105 °C (depending on power dissipation)
Ambient temperature (storage/transport)	-40 °C ... 55 °C
Ambient temperature (assembly)	-5 °C ... 100 °C
Relative humidity (storage/transport)	80 %

UMK-BE 45 BK - Base element

2971894

<https://www.phoenixcontact.com/us/products/2971894>



Approvals

 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/2971894>



UL Recognized

Approval ID: FILE E 240868

UMK-BE 45 BK - Base element



2971894

<https://www.phoenixcontact.com/us/products/2971894>

Classifications

ECLASS

ECLASS-11.0	27182701
ECLASS-13.0	27190601

ETIM

ETIM 8.0	EC002779
----------	----------

UNSPSC

UNSPSC 21.0	31261500
-------------	----------

UMK-BE 45 BK - Base element



2971894

<https://www.phoenixcontact.com/us/products/2971894>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com