

UM 45-SE - Lateral element

2906131

<https://www.phoenixcontact.com/us/products/2906131>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Press-drawn section housings, Lateral element, color: green (6021), without snap-on foot, depth: 45 mm, Note: when using this lateral element, profile length = PCB length.

Your advantages

- Flexible size and shape
- Fast mounting
- Inexpensive as a result of reducing the number of separate housing parts

Commercial data

Item number	2906131
Packing unit	1 pc
Minimum order quantity	10 pc
Sales key	AC13
Product key	ACHDBA
Catalog page	Page 755 (C-1-2013)
GTIN	4017918131272
Weight per piece (including packing)	3.03 g
Weight per piece (excluding packing)	2.98 g
Customs tariff number	39269097
Country of origin	PL

UM 45-SE - Lateral element

2906131


<https://www.phoenixcontact.com/us/products/2906131>

Technical data

Product properties

Product type	Panel mounting base side part
Product family	UM SE
Type	Lateral element
Housing type	Press-drawn section housings
Ventilation openings present	no
Housing series	UM

Dimensions

Dimensional drawing	
Depth	45 mm

Material specifications

Color	green (6021)
Flammability rating according to UL 94	V0
Surface characteristics	untreated
Housing material	Polyamide

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C ... 105 °C (depending on power dissipation)
---------------------------------	--

UM 45-SE - Lateral element



2906131

<https://www.phoenixcontact.com/us/products/2906131>

Approvals

🔗 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/2906131>



EAC

Approval ID: B.01687



UL Recognized

Approval ID: FILE E 240868

UM 45-SE - Lateral element



2906131

<https://www.phoenixcontact.com/us/products/2906131>

Classifications

ECLASS

ECLASS-11.0	27182701
ECLASS-13.0	27190602

ETIM

ETIM 8.0	EC002779
----------	----------

UNSPSC

UNSPSC 21.0	31261500
-------------	----------

UM 45-SE - Lateral element



2906131

<https://www.phoenixcontact.com/us/products/2906131>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values
------------	---

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com