

KDT-ST 5 - Filler plugs



3063947

<https://www.phoenixcontact.com/pc/products/3063947>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Filler plugs, material: PA, length: 25 mm, diameter: 5 mm



Commercial data

Item number	3063947
Packing unit	25 pc
Minimum order quantity	1 pc
Product key	BF7CZX
Catalog page	Page 682 (C-2-2019)
GTIN	4046356301404
Weight per piece (including packing)	0.552 g
Weight per piece (excluding packing)	0.533 g
Customs tariff number	39174000
Country of origin	DE

KDT-ST 5 - Filler plugs

3063947

<https://www.phoenixcontact.com/pc/products/3063947>



Technical data


Notes

General	The filler plugs are used to seal unused cable sleeves.
---------	---

Product properties

Product type	Sealing plugs
--------------	---------------

Dimensions

Dimensional drawing		
Length	25 mm	
Diameter	5 mm	

Material specifications

Material	PA
----------	----

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP54 (Observe the assembly instructions)
Ambient temperature (operation)	-20 °C ... 80 °C

Mounting

Assembly instructions	IP54: for vertical sealing frame mounting/for horizontal sealing frame mounting (downward cable outlet direction).
-----------------------	--

KDT-ST 5 - Filler plugs


3063947

<https://www.phoenixcontact.com/pc/products/3063947>



Drawings

Dimensional drawing



Dimensional drawing

KDT-ST 5 - Filler plugs



3063947

<https://www.phoenixcontact.com/pc/products/3063947>

Classifications

ECLASS

ECLASS-11.0	27144433
ECLASS-13.0	27140805

ETIM

ETIM 8.0	EC003608
----------	----------

UNSPSC

UNSPSC 21.0	39121300
-------------	----------

KDT-ST 5 - Filler plugs



3063947
<https://www.phoenixcontact.com/pc/products/3063947>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com